

MADE IN JAPAN - SINCE 1919

THE STORY OF SILKY

It is 1919. In the heart of the Japanese Ono region the clang of hammering from blacksmith Katsuji Miyawaki echoes on the surrounding mountains. The first Silky saw is born.


A hundred years later, the third generation Miyawaki forges saws of unrivalled quality. The hammers have evolved into the most modern, patented techniques - the passion and dedication remain.

From arborist high in the tree to gardener in the backyard. From bushcrafter deep into the forest to furniture maker in the workshop. Worldwide, many enthusiasts rely on the pull saws of Silky.



TTEL NYSON

INFO			FOLDING S	
PAGE 6 - 7	TECHNIQUE PAGE 8 - 9	HOW TO CHOOSE	BIGBOY PAGE 62 - 63	BIGBOY 2000 ^{CU} PAGE 64 - 65
	FIXED SAWS			
		The second secon	WOODBOY	WOODBOY DOVE
GOMTARO PAGE 14 - 15	GOMTARO SPECIALIZED PAGE 16 - 17	TSURUGI PAGE 18 - 19	PAGE 68 - 69	PAGE 70 - 71
The second carry and	Carl ZMAY 201			POLE SAW
	ZÜBAT	ZÜBAT ARBORIST		
PAGE 20 - 21	PAGE 22 - 23	PAGE 24 - 25		City 704/100
			LONGBOY	ZÜBAT POLE SAW
GUN-FIGHTER PAGE 26 - 27	NATANOKO 60 PAGE 28 - 29	NATANOKO 2000 PAGE 30 - 31	PAGE 76 - 77	PAGE 78 - 79
Carry Standardson				
SUGOI	SUGOWAZA	IBUKI		and a second sec
PAGE 32 - 33	PAGE 34 - 35	PAGE 36 - 37	HAYATE PAGE 82 - 83	HAYAUCHI PAGE 84 - 85
				AXES
GENKI TEMAGARI PAGE 38 - 39	HIBIKI RYOBA PAGE 40 - 41		Dimy NATA 20	
	FOLDING SAWS			
		AND	NATA PAGE 90 - 91	NATA OUTBACK PAGE 92 -93
POCKETBOY LARGE	POCKETBOY FINE	POCKETBOY CURVE		
PAGE 44 - 45	PAGE 46 - 47	PAGE 48 - 49	COSETY YORKIZZO	
	0		YOKI PAGE 96 - 97	
F180 PAGE 50 - 51	SUPER ACCEL PAGE 52 - 53	ULTRA ACCEL PAGE 54 - 55		INFO
	Contraction of the second second		ACCESSORIES	POLE SAW I
ULTRA ACCEL TAIKO PAGE 56 - 57	GOMBOY PAGE 58 - 59	GOMBOY CURVE PAGE 60 - 61	PAGE 100 - 109 -	- PAGE 110 - 113









NON-SET TEETH

The teeth are ground in the blade with precision, each with 4 cutting surfaces. The teeth are "non-set" (in compare to a classic Western saw), so that the cutting surface cuts straight into the wood, and destroys about 50% less wood cells in the process. The blades are ground biconcave: the bottom part of the blade is thickest, the top part slightly thinner and the blade is thinnest in the middle.



INDUCTION HARDENED

The tips of the teeth are heated up to a very high temperature for a split second. As only the tip (or in other words the cutting part) of the tooth is heated, the rest of the tooth keeps its cutting quality but also its flexibility. Induction hardened teeth have a lifespan of three times that of non-treated teeth, but they cannot be sharpened.

Ğ

ARBOR COMPOSITE GRIP

This handle is made of an environmentally friendly composition, containing 70% wood powder. The arbor composite handle gives a warm and comfortable touch and superior control. The feel is a bit harder than the usual GOM rubber handle, but it offers more grip with greasy substances. Exclusively applied to the folding saws of the Outback series.



NICKEL COATING

The advantage of nickel is that this material pours well into the edges. Therefore, the nickel coating is equal all over the blade and that ensures a smooth surface and less material wastage. The nickel plating is applied after the teeth are ground into the blade. In doing so, the teeth will remain sharp for a long time and are protected against rust.



CHROME COATING

The chrome plating on the saw blade makes the surface of the blade extremely hard and longwearing, while reducing frictions and increasing the lifetime of the blade. Furthermore, the chrome plating protects the blade against rust. Before applying the chrome plating, Silky polishes the blade as smooth as silk. This makes that the blade encounters even less resistance in the wood while sawing.



RUBBER JACKET

A rigid, aluminum frame covered with rubber provides a light and comfortable grip. The rubber jacket is applied on all saws in the Ultra Accel series. The handle prevents slipping and absorbs vibrations.



A number of Silky saws and axes / machetes are equipped with the unique Genki grip. This grip consists of two parts that can be zipped off the blade and placed on a new one without the use of tools. The rubber Genki grip absorbs the sawing vibrations to a maximum as no screws or bolts are attached that could guide the vibrations. The Genki grip offers a superior grip, even in wet conditions or while wearing

aloves.



"GOM" HANDLE

The GOM rubber handle absorbs sawing vibrations and offers a superior grip, even in wet conditions or while wearing gloves. Moreover, this handle always feels comfortably warm, even in extremely cold temperatures.



3D-ROLLER

The three rollers provide a smoother action when inserting the saw in the scabbard from any angle. The tri-roller system includes a locking mechanism that prevents the saw from accidentally falling out.



Silky saws with 4-RETSUME teeth belong to the category of fastest handsaws on the market and are very well suited for the toughest jobs. The teeth are ground in such a way, so that every 4 teeth in a row form one combination. This does not only leave a very smooth tree wound, but also enables a perfect discharge of sawdust.



MIRAI-ME

The unmatched patented MIRAI-ME technology makes it possible to use the saw for 3 types of sawing: crosscutting (perpendicular to the grain), rip-cutting (parallel to the direction of the grain) and diagonally. This unique teeth design gives that Silky smooth finish to the wood.



This coating has been applied to the new Nata Outback. Through a special oxidation process, the blade gets its deep black color, which is particularly suitable for tactical operations. Silky's Black Oxide offers extra protection against rust for the best chopping performance.



BLACK COATING

A unique nickel and tin blend has been applied to all blades of the Outback foldings saws. The dark, non-reflective color is particularly suitable for tactical operations. This coating provides a long blade life and an incredible cutting performance.



SHARPENABLE

When the teeth are not induction hardened, they can be sharpened with the special Silky file. Check www.silky-europe.com for an overview of all saws that can be sharpened and for instructions on how to file a Silky saw.



PROGRESSIVE TEETH

A progressive teeth configuration means that the teeth closest to the handle are slightly finer to facilitate the first cut. Towards the end of the blade, the teeth become coarser so you can rip through the wood at high speed.



SILKY TECHNIQUE

SILKY **TECHNIQUE**


Silky saws are designed to cut on the pull stroke. At the first stroke you place the pull saw so that the teeth closest to the handle grab the wood first. After the first pull stroke you slide the saw back to the starting position by a soft push stroke (without force). During the pull stroke the thin blade will not bend because there is no lateral tension. The blade just follows the cut.


If the saw ever gets caught, never push hard or wrench, this may lead to lateral tensions which can damage or brake the blade. Always lift the weight off the blade to release the saw.

The Silky saw guarantees a fine kerf and requires little force. Do not burden, just let the saw do the work. You will feel less tired and it lengthens the life of the saw.




8





SAW






HOW TO CHOOSE

STRAIGHT OR CURVE

Traditionally, a straight blade is for all work between your knees and shoulders, while a curved blade is better for working below your knees or above your shoulders. A straight blade can be more precise, but many people find a curved blade bites more aggressively into the wood.


STRAIGHT



STEP 1 FIXED OR FOLDING


Fixed saws are mainly used for bigger jobs. The blade is mostly full tang and runs through the handle, which makes the saw extremely strong.

Folding saws are lightweight and compact, which make them easy to store and to carry with you.













HARD WOOD

FINE TEETH ----

STEP 2 TEETH SIZE

Teeth size directly corresponds with certain kinds of wood. Large teeth (indicated by smaller numbers, such as 6 teeth in 30 mm) rip rapidly through fresh wood, but will have a harder time in dry or hard wood. Fine teeth, in the 13-32 teeth per 30 mm range are suited for hard wood. Medium teeth, like 10 teeth per 30 mm is a good compromise, enabling the teeth to handle anything with a minimum speed loss.





CURVED

STEP 4 BLADE LENGTH

Divide the blade length by two and you know the maximum diameter of wood you can saw with that blade.

For example, a 24 cm blade will saw up to 12 cm in diameter branches with ease. When sawing larger diameters with that blade, you will notice that you have little capacity to make good strokes.





A fixed saw is an essential piece of equipment for arborists and professional gardeners worldwide. In many cases, it is more efficient to use a powerful hand saw over a chainsaw. A fixed saw is lightweight and compact for easy carrying and there is no oil, gasoline, noise or pollution involved. Silky's teeth design makes it possible to saw at high speed and leave behind a smooth and clean cut at the same time.

FIXED SAWS

All fixed saws include a durable scabbard in which the saw is well secured and can be attached to your belt or harness. The saw can still easily be taken from the scabbard with just one hand.

When you are in doubt between a fixed or a folding saw, ask yourself what you find more important: solidity or compactness. The blade of a fixed saw is mostly full tang and runs through the handle, giving you more strength and control over the blade. That is why a fixed saw is mainly used for bigger jobs.



THE **GOMTARO**

The blade design of the Gomtaro makes this saw perfect for formative pruning in a tree's early years. With the straight blade you can work very precisely and leave behind a smooth and clean cut.

The Gomtaro with large teeth of 8 teeth per 30 mm can be recognized by the red bolts on the handle. The large teeth accel in fresh and soft wood.

The Gomtaro with fine teeth of 13 teeth per 30 mm can be recognized by the silver bolts on the handle. The fine teeth are suited for seasoned or hard wood, like most fruit trees.

The Gomtaro Root also has silver bolts, but has large teeth that are double hardened. This makes the saw extra resistant in rough conditions, like cutting roots.

The full tang blade of the Gomtaro runs through the handle for precise control.

PRIMARILY INTENDED FOR:



VVVVVVVVVV

GOMTARO 330-8 Ref, KSI310233 *

GOMTARO 300-8 Ref, KSI310230 * GOMTARO 240-8

Ref. KSI310224 *

Ref. KSI310218 *

GOMTARO 180-8

1:1

1:1

GOMTARO 270-8 Ref. KSI310227 *

GOMTARO 210-8 Ref. KSI310221 *

GOMTARO ROOT 240-8 (extra strong for root cutting) Ref. KSI315324

GOMTARO FINE TEETH



Ref. KSI310433 *


GOMTARO FINE 270-13 Ref. KSI310427


Ref. KSI310430 * **GOMTARO FINE 240-13**

Ref. KSI310424

^{*} article number is for the complete saw

GOMTARO 270-8 AND GOMTARO FINE 270-13





1:1

THE **GOMTARO** SPECIALIZED

The Gomtaro Pro-Sentei is based on the Gomtaro, but has several key features that make this a stand out saw. The fine teeth at the end of the blade are ideal to cut small twigs, so you do not have to switch that often between your saw and secateurs anymore. These fine teeth can also be used to make an undercut or to start the cut, after which you can saw rapidly through the wood with the larger teeth on the blade.

Another special edition is the Gomtaro Nidangiri. It has an extra row of teeth (with medium teeth) on the upper side of the blade. Without turning your wrist, you can make an undercut so that the bark does not tear off when the branch falls.

PRIMARILY INTENDED FOR:

GOMTARO PRO-SENTEI

V.V.V.V.V.V.V.V.V.V

GOMTARO PRO-SENTEI 300-8-14 Ref. KSI310830 *

GOMTARO PRO-SENTEI 240-8-14 Ref. KSI310824 *

GOMTARO NIDANGIRI



GOMTARO NIDANGIRI 270-8+10 Ref. KSI340927 *

GOMTARO PRO-SENTEI 300-8-14 AND GOMTARO NIDANGIRI 270-8+10




SPARE PARTS

HANDLE Ref. KSI310555N

BOLT SET (2 REQUIRED PER SAW) Ref. KSI310540







TSURUGI

The Tsurugi is characterized by the narrow blade, an ingenious design that enables precision without sacrificing performance.

The combination of the rigid straight blade and the revolver-style handle is ideal for precision work. With the narrow blade of this saw, you will be capable of meticulous pruning in the most densely grown spaces, without damaging surrounding branches.

The Tsurugi with large teeth is identified by the red handle and is designed for fast cutting in fresh wood. The Tsurugi with medium teeth can be recognized by the yellow handle and is intended for a mixture of both fresh and dead wood.

Both versions are available in three different blade lengths. The comfortable Genki grip can easily be zipped of the blade and absorbs vibrations.

PRIMARILY INTENDED FOR:



TSURUGI LARGE TEETH

VVVVVVVVVV

TSURUGI 400-8 Ref. KSI345040 *

Ref. KSI345020 *

TSURUGI 200-8

TSURUGI MEDIUM TEETH

TSURUGI 400-10 Ref. KSI345240 * **TSURUGI 300-10** *Ref. KSI345230* *

TSURUGI 200-10 *Ref. KSI345220* * **TSURUGI 300-8** Ref, KSI345030 * 1:1

1:1

TSURUGI 300-8 AND TSURUGI 300-10

SPARE PARTS

HANDLE REDHANDLE YELLORef. KZSI45001Ref. KZSI45002

HANDLE YELLOWBLADE (See page 114 forRef. KZSI45002all replacement blades)

article number is for the complete saw





THE TSURUGI CURVE

The Tsurugi Curve is characterized by the narrow blade, an ingenious design that enables precision without sacrificing performance.

The combination of the rigid curved blade and the revolver-style handle with Genki grip is ideal for work above the shoulder and below the knee. With the narrow blade of this saw, you are capable of working with precision in the most densely grown spaces, without damaging surrounding branches.

The Tsurugi Curve is available with large or medium teeth and has a choice of different blade lengths. In some sizes, the curved scabbards are available in both right (silver stripes) and left (gold stripes) handed versions. All saws can of course be used by left and right handed people alike.

PRIMARILY INTENDED FOR:



TSURUGI CURVE LARGE TEETH



TSURUGI CURVE 330-7.5 Ref. KSI345433 *

TSURUGI CURVE 270-7.5 Ref, KSI345427

TSURUGI CURVE 375-6.5 (larger teeth and extra long) Ref. KSI345437 *

LEFTY

TSURUGI CURVE LEFTY 330-7.5 Ref. KSI345833 *

TSURUGI CURVE LEFTY 375-6.5 (larger teeth and extra long) Ref. KSI345837

TSURUGI CURVE MEDIUM TEETH



TSURUGI CURVE 330-10 Ref. KSI345633 *

TSURUGI CURVE 270-10 Ref. KSI345627

1:1

TSURUGI CURVE 270-7.5 AND TSURUGI CURVE 270-10



^{*} article number is for the complete saw



THE ZUBAT

The Zübat is everything you could wish for in a pruning saw. A versatile, powerful pull saw to be used for both precision pruning and for larger removals.

This saw is characterized by its aggressively curved blade with large teeth of 7.5 per 30 mm. The tip of the blade is designed to keep the saw in the cut. The full tang blade gives stability and strength to the full length, while the comfortable GOM rubber handle absorbs vibrations.

The Zübat is available in 5 different blade lengths. The most popular one is the Zübat 330, which can handle thick branches up to 17 cm in diameter. This model is also available with finer teeth of 10 per 30 mm and can be recognized by its silver colored bolts.

PRIMARILY INTENDED FOR:



ZÜBAT LARGE TEETH



ZÜBAT 330-7.5 Ref. KSI327033 *

ZÜBAT 270-7.5 Ref. KSI327027 * ZÜBAT 300-7.5 Ref. KSI327030 *

ZÜBAT 240-7.5 Ref. KSI327024

ZÜBAT 390-7.5 (extra long with special scabbard) Ref. KSI327039 *

ZÜBAT FINE TEETH



ZÜBAT FINE 330-10 Ref. KSI327833 *



1:1

1:1

ZÜBAT 300-7.5 AND ZÜBAT FINE 330-10

y ZÜBAT 330

SPARE PARTS

HANDLE Ref. KZSI2700415 Ref. KSI310540





THE ZUBAT ARBORIST

The Zübat is the most widely-used handsaw by arborists all over the world. That is why Silky designed a special version to truly meet all the needs of a tree specialist.

The Zübat Arborist has the same features as the standard Zübat, but has an extra large teeth configuration for even faster cutting in fresh wood. Like every other Silky saw, the teeth will stay sharp, even with frequent intense use and leave behind a smooth cut.

You can recognize the Zübat Arborist by its shiny chrome bolts on the GOM rubber handle.

PRIMARILY INTENDED FOR:



ZÜBAT ARBORIST EXTRA LARGE TEETH



ZÜBAT ARBORIST 330-5.5 (extra large teeth) Ref. KSI372233 *

ZÜBAT ARBORIST 330-5.5



HANDLE

24



Scabbard included

GUN-FIGHTER

THE **GUN-FIGHTER**

This iconic saw has a slightly curved blade with progressive teeth from 8.5 to 6 teeth per 30 mm. Progressive teeth help you to make the first cut with the finer teeth close to the handle, while the larger teeth at the end of the blade ensure maximum cutting speed.

The revolver grip gives a great feeling while sawing. The steel is covered with GOM rubber to reduce vibrations and provide a superior grip that always feels warm, even in cold and wet conditions.

There are 3 blade lengths available in the Gun-fighter series: 270, 300 and 330 mm. Choose the blade length that is maximum double the diameter of the branches that you want to saw.

PRIMARILY INTENDED FOR:



GUN-FIGHTER

NNNNNNN

GUN-FIGHTER 330-8.5-6 Ref, KSI673033 *

GUN-FIGHTER 270-8.5-6 Ref. KSI673027 *

GUN-FIGHTER 300-8.5-6 Ref. KSI673030

1:1

GUN-FIGHTER 330-8.5-6

JAPAN



27

all replacement blades)





THE NATANOKO 60

The strong saw blade of the Natanoko is very rigid, due to the high back, and has extra-large teeth to rip through thick tree trunks effortlessly. The large 7.5 teeth per 30 mm rip through fresh wood. Although the teeth remain sharp for a long time, they can be sharpened with the Silky file.

The big rubber handle absorbs vibrations, offers grip, and feels comfortable. The blade can be replaced within seconds by turning the rotary knob on the handle. No tools necessary.

The scabbard has been designed in such a way, so that the saw will not fall out, even when you are in difficult positions while climbing. As soon as you need the saw, you can pull it out of its scabbard easily with just one hand, by pressing your thumb on the button on the side.

PRIMARILY INTENDED FOR:




NATANOKO 60

NATANOKO 60 330-7-8 Ref, KSI312933 *

NATANOKO 60 300-7.5 Ref. KSI312930

1:1



THE NATANOKO 2000

1:1

THE **NATANOKO 2000**

The Natanoko 2000 is really a unique saw. The curve of the blade adds speed, but retains precision from being only a slight curve (radius 2000). The strong saw blade is very rigid, due to the high back, and has extra-large teeth to rip through thick tree trunks effortlessly.

The big rubber handle absorbs vibrations, offers grip, and feels comfortable. The blade can be replaced within seconds by turning the rotary knob on the handle. No tools necessary.

The scabbard has been designed in such a way, so that the saw will not fall out, even when you are in difficult positions while climbing. As soon as you need the saw, you can pull it out of its scabbard easily with just one hand, by pressing your thumb on the button on the side. Do not forget to order the available leg straps to always have your Natanoko at hand (page 108).

PRIMARILY INTENDED FOR:




NATANOKO 2000

NNNNNN

NATANOKO 2000 330-6.5 Ref. KSI340133 *

NATANOKO 2000 330-6.5



SPARE PARTS

HANDLE Ref. KSI312997N Ref. KSI312931 Ref. KSI340233





THE **SUGOI**

Sugoi literally means 'exceptionally good'. Because of its aggressive teeth and orange stripes on the handle, arborists nicknamed this saw 'Tree tiger'

There are three different blade lengths available: 330, 360 mm and 420 mm. All models feature an extra-strong 1.9 mm thick blade. The curved blade, made of high-alloy steel, has a progressive teeth configuration. The smaller teeth 'bite' the wood better at the first cut, after which the larger teeth will rip through the wood at high speed.

The comfortable rubber-molded handle absorbs vibrations and offers lots of grip, even when wearing gloves and under wet and cold conditions. The yellow scabbard is well visible and can be attached to your harness or to your leg with the provided leg straps.

PRIMARILY INTENDED FOR:



SUGOI



SUGOI 420-6.5-5.5 Ref. KSI639042 *

SUGOI 330-6.5-5.5 Ref. KSI639033 *

SUGOI 360-6.5-5.5 Ref, KSI639036 *

1:1

SUGOI 420-6.5-5.5 AND SUGOI 360-6.5-5.5



32

SPARE PARTS

HANDLE SCREW BOLT Ref. KZSI639003 Ref. KSI327739 Ref. KZSI639001





WILLIAM WILLIAM WILLIAM

1:1

THE **SUGOWAZA**

The Sugowaza was primarily designed for lineclearance workers wearing rubber insulated gloves. In addition to all the characteristics of the Sugoi, this pull saw has an extra cross-guard to prevent the users' gloved hand to slip off the handle. The comfortable ribbed rubber handle offers lots of grip, absorbs vibrations and always feels warm to the touch.


The long blade of 420 mm enables you to reach further and makes it easy to cut those extra couple branches. Even the 'big' tasks, such as tree removals or sawing thick trunks, are no problem for the Sugowaza due to its progressive teeth. Besides, the perfectly curved blade is made of a special metal alloy that makes the blade strong and flexible at the same time.

The orange scabbard is well visible and can be attached to your harness.

PRIMARILY INTENDED FOR:




SUGOWAZA



SUGOWAZA 420-6.5-5.5 Ref, KSI641942 *

SUGOWAZA 420-6.5-5.5

HANNIN MAN



^{*} article number is for the complete saw

34







THE IBUKI

A true winner on the side of aggressiveness and speed. The large teeth, of 5.5 teeth per 30 mm, combined with the curve make for an extremely aggressive bite into the wood and high speed sawing through fresh wood.

While working above the shoulder and below the knee, you can still saw on top of the branch with the curved blade while your arm, wrist and hand maintain their natural position. Do you sometimes prune from the ground? Then the blade of the Ibuki can be used on the Hayauchi pole saw as well.

The comfortable handle of the Ibuki offers the grip, power and flexibility that you need to handle this saw. The handle is big enough to be used with two hands for the tougher jobs. The scabbard can be attached to your harness, for both right-handed and left-handed people. Additionally, the scabbard has been designed in such a way so that the saw will not fall out of it.

PRIMARILY INTENDED FOR:



IBUKI



IBUKI 390-5.5 Ref. KSI327539 * IBUKI 390-5.5



GENKI TEMAGARI

GENKI TEMAGARI

Silky's fastest ever saw! Thanks to the long blade with extra-large teeth, you can effortlessly saw through the thickest branches, beams, or tree trunks. This makes this powerful pull saw more suitable for heavier tasks like felling trees and cutting in pieces than actually pruning them. You will be amazed at how quickly the saw rips through the wood!

It may take some practice and patience to make the first cut with the Genki Temagari. Due to its progressive teeth ratio (from 5 to 3 teeth per 30 mm), the teeth closest to the handle are finer than those near the end of the blade, which makes the first cut a little easier. Once this saw gets going, it is unstoppable!

The long blade is full tang, making this saw incredibly strong and offers you more control. The Genki grip has no bolts or screws, which absorbs vibrations and can be loosened without needing tools.

PRIMARILY INTENDED FOR:

GENKI TEMAGARI



1:1

GENKI TEMAGARI 500-5-3 Ref. KSI355050 GENKI TEMAGARI 500-5-3







TEMAGARI500







The Silky Hibiki Ryoba is a saw developed for fine woodworking, e.g. for cabinetmaker use.

The blade is 21 cm long and has two different kinds of teeth at the upper and lower side of the blade. One is intended for rip-cutting, the other for crosscutting (22 teeth per 30mm). It has the traditional Ryoba handle.

The smooth Silky pitch makes that the wood does not splinter and results in a beautiful finish. Many different types of cuts can be made with this multipurpose saw, dovetail, joints and others, without having to change saws. The flexible blade allows for perfect flush cuts. The saw is very well balanced and is supplied with a case, so it can be stored securely and can also be hung on the belt.

PRIMARILY INTENDED FOR:



HIBIKI RYOBA





HIBIKI RYOBA 210-22+10 Ref, KSI639621 *

HIBIKI RYOBA 210-22+10



BOLT Ref. KZSI3920435 Ref. KSI639721

40





Scabbard included




FOLDING SAWS

Folding saws are lightweight and compact, which make them easy to store and to carry with you. The most compact folding saws can even be taken in your pocket. Therefore, folding saws are very popular for camping, bushcraft and gardeners or constructors who always want to have a saw at hand.

When not using the saw, the blade can be easily folded with the locking mechanism and the sharp teeth will be safely covered in the handle. Many folding saws have two different blade positions for various applications.

Although Silky's folding saws are prized for their small dimensions, they give great performances too! The razor-sharp teeth cut rapidly through the wood and the comfortable rubber handle provides a good



The Pocketboy family is versatile, but always compact. The compact size means it is easy to slip in a pocket and take it anywhere. The comfortable GOM rubber handle absorbs vibrations and has a hole for attaching a rope or carabiner to the saw. The blade can be locked into two different positions and folds safely in the handle when the saw is not in use.

The Pocketboy with red handle has a large teeth configuration of 8 per 30 mm. These large teeth rip through fresh wood with maximum speed, while still leaving behind Silky's signature smooth cut.

The Pocketboy with black handle is a true all-rounder. They feature medium teeth at 10 teeth per 30 mm. Medium teeth can handle anything you throw at them, from fresh wood to hard and dead wood.

PRIMARILY INTENDED FOR:





POCKETBOY 170-8 Ref. KSI534617 *

POCKETBOY 130-8 Ref, KSI534613 *

1:1

POCKETBOY MEDIUM TEETH

V.V.V.V.V.V.V.V.V.V

POCKETBOY 170-10 Ref. KSI534017 *

POCKETBOY 130-10 Ref. KSI534013 *





^{*} article number is for the complete saw



THE **POCKETBOY FINE**

The blue Pocketboy represents fine teeth, created for hard or dry wood. With 20 teeth per 30 mm, this saw is most suited for carpentry projects or working exclusively with hard or seasoned wood.

The purple Pocketboy represents Silky's extra fine teeth for woodworking. The 26 teeth per 30 mm leave behind extra smooth cuts.

The locking mechanism on the handle makes it possible to use the saw in two positions. The second position raises the handle to make it easier to saw on a flat service. The straight blade has a thin kerf, enabling extreme precision. Fold the blade into the handle to safely store it and capitalize on the compact nature of the Pocketboy family.

PRIMARILY INTENDED FOR:

TH

POCKETBOY FINE TEETH



POCKETBOY 170-20 Ref. KSI534217 *

POCKETBOY 130-20 Ref, KSI534213 *

1:1

POCKETBOY EXTRA FINE TEETH



POCKETBOY 170-26 Ref. KSI534417 *

POCKETBOY 130-26 Ref. KSI534413 *

POCKETBOY 170-20 AND POCKETBOY 170-26



@TC_CONCEPTION

^{*} article number is for the complete saw





THE POCKETBOY CURVE

The yellow Pocketboy represents Silky's curved blades. The large teeth rip through wood with great speed and leave behind smooth cuts. The curved blades bite into wood and are great for working above your shoulder or below your knee.

The Pocketboy family is designed to be very compact, while never sacrificing quality. Fold the blade into the handle to safely store it. Then slip it in your pocket or hang it from your belt with a rope or carabiner, so this saw will travel everywhere with you.

There are two blade lengths available, 130 mm and 170 mm. Larger sizes are suited for larger branch diameters. A good rule of thumb is the blade can handle branches of half the blade length in diameter.

PRIMARILY INTENDED FOR:



POCKETBOY CURVE

VVVVVVV

Ref. KSI572617 *

POCKETBOY CURVE 170-8 POCKETBOY CURVE 130-8 Ref. KSI572613

1:1

POCKETBOY CURVE 170-8



SPARE PARTS

BOLT

BLADE (See page 116 for *Ref. KSI522000 all replacement blades)*







THE **F180**

The F180 is known for the lightweight polypropylene handle with a section of GOM rubber to absorb vibrations. A compact folding saw with a 180 mm long blade to easily cut branches up to 90 mm in diameter. Although they are favorably priced, they do not sacrifice any of the quality you expect in a Silky saw.

Fold the blade into the handle to protect the teeth. The hole in the handle is perfect for hanging it from your belt with a piece of rope or a carabiner.

There are two teeth options available. The large teeth at 7.5 teeth per 30 mm are suited for fresh wood, while the finer teeth at 14 teeth per 30 mm are a better fit for frequently sawing hard or seasoned wood types, like most fruit trees.

PRIMARILY INTENDED FOR:



F180 LARGE TEETH




F180-7.5 Ref. KSI512518N *

F180 FINE TEETH



F180-14 Ref. KSI514118 * F180-7.5 AND F180-14



SUPER ACCEL

THE **SUPER ACCEL**

If you prioritize ultralight over everything else, the Super Accel is your pick. At only 195 grams, this lightweight aluminum saw is only matched by its speed. The Super Accel is designed with an angle of approximately 10 degrees between handle and blade, which makes every cut require less force, minimizes vibrations, and increases speed.

Gardeners and outdoor users alike love this saw. Whether they bring it with them in a Gomcase or with a rope or carabiner through the hole in the handle, it is a saw to always have on hand.

The Super Accel comes with two teeth choices. The large teeth option has 7.5 teeth per 30 mm, making it rip through fresh wood. The fine teeth option has 14 teeth per 30 mm and is better suited for hard or seasoned wood, like most fruit trees.

PRIMARILY INTENDED FOR:



SUPER ACCEL LARGE TEETH

V.V.V.V.V.V.V.

1:1

1:1

SUPER ACCEL 210-7.5 Ref. KSI511021

SUPER ACCEL FINE TEETH



SUPER ACCEL 210-14 Ref. KSI511721 *



@ LIVINGBYNATUREOFFICIAL



SPARE PARTS







1:1

THE **ULTRA ACCEL**

The Ultra Accel with straight blade is compact and makes a fast and straight up cut with precise control. The straight blade is easy to handle in densely grown spaces and on a flat surface.

The curved blade of the Ultra Accel Curve bites aggressively into the wood and helps you to keep the saw in the cut. Also, a curved blade is easy to handle when pruning above shoulder-height.

The large teeth of the Ultra Accel and Ultra Accel Curve are great for general pruning work in mostly fresh wood. With the locking mechanism you can securely lock the blade in two different sawing positions.

The large handle is made of lightweight aluminum and covered with thick rubber for a safe and comfortable grip. The hole in the handle gives the possibility to attach a carabiner or rope to the saw.

PRIMARILY INTENDED FOR:



ULTRA ACCEL



ULTRA ACCEL 240-7.5 Ref. KSI544424 *

ULTRA ACCEL CURVE



ULTRA ACCEL CURVE 240-7.5 Ref. KSI544624 *







THE **ULTRA ACCEL TAIKO**

The Ultra Accel Taiko is a wood saw with a convex curved blade suited for sawing on a table or work bench. The entire saw is a mere 295 grams, even with a hefty handle with thick rubber for superior grip, while a light aluminum chassis makes it easy to work with for long periods without fatigue. There are 10 teeth per 30 mm on the Ultra Accel Taiko's 240 mm long blade.

This medium teeth configuration is perfect for wood and construction workers who want the precision of a hand saw, but don't want to compromise on speed.

PRIMARILY INTENDED FOR:



ULTRA ACCEL TAIKO

V V V V V V V V V V

ULTRA ACCEL TAIKO 240-10 (convex curved) Ref. KSI544224

ULTRA ACCEL TAIKO 240-10



THE **GOMBOY**

THE GOMBOY

The Gomboy is a favorite for a reason. It is a multifunctional saw that can go from pruning in a garden to creating a shelter in the woods. The medium sized teeth at 10 teeth per 30 mm saw through fresh wood and dead or dried wood with ease. The rubber handle ensures a safe and comfortable grip and the hole in the handle makes it easy to attach a piece of rope or a carabiner to the handle. Folded, the teeth are protected, so it can be tossed in a backpack for a multi-day trek. The multifunctional Gomboy can be used anywhere!

This compact saw packs a punch and comes in a variety of sizes. Larger sizes are suited for larger branch diameters. A good rule of thumb is the blade can handle branches of half the blade length in diameter.

PRIMARILY INTENDED FOR:



GOMBOY

Silly GOMBOU 300 10

VVVVVVVVVVVVV

GOMBOY 300-10 Ref. KSI522130 *

GOMBOY 240-10 Ref. KSI522124 *

Ref. KSI529827

GOMBOY 270-10 Ref. KSI522127

GOMBOY 210-10

1:1


Ref. KSI522121 * GOMBOY 270-20 (extra fine teeth for woodworking) GOMBOY 240-10 AND GOMBOY 300-10



CLIP 210	CLIP 240	
Ref. KSI522001	Ref. KSI522004	
CLIP 270 AND 300	BOLT	BL/
Ref. KSI522007	Ref. KSI522000	all r

@EPICUREAN_FOL





THE GOMBOY CURVE

Look for the yellow color of the handle in the Gomboy family to see the Gomboy Curve editions. The yellow rubber handle absorbs vibrations and has a comfortable grip, even when wet. It also protects the blade when folded into the handle.

The large teeth, 8 per 30 mm, rip through fresh wood with extra aggressive power due to the curved blade. The saw is great for working above your shoulders and below your knees.

The Gomboy Curve comes in four different sizes. We suggest choosing a more compact model for regular pruning, such as the blade lengths of 210 or 240 mm. Larger sizes are suited for larger branch diameters. A good rule of thumb is the blade can handle branches of half the blade length in diameter.

PRIMARILY INTENDED FOR:



GOMBOY CURVE

VVVVVVVV

GOMBOY CURVE 300-8 Ref. KSI571730 * GOMBOY CURVE 270-8 Ref. KSI571727 *

GOMBOY CURVE 240-8 Ref. KSI571724 * GOMBOY CURVE 210-8 Ref. KSI571721 *

1:1

GOMBOY CURVE 240-8 AND GOMBOY CURVE 300-8

C CONTROL C

SPARE PARTS

CLIP 210	CLIP 240	
Ref. KSI522001	Ref. KSI522004	
CLIP 270 AND 300	BOLT	BLAD
Ref. KSI522007	Ref. KSI522000	all rep

BLADE (See page 117 for all replacement blades)





1:1

1:1

THE **BIGBOY**

A lightweight, compact folding saw with large 360 mm blade for great sawing performance. The Bigboy has a large rubber handle that gives a comfortable grip and absorbs vibrations. Use the saw with both hands for more power.

With the locking mechanism you lock the blade in two different blade positions for various applications. When stored, the blade folds neatly into the handle.

The Bigboy comes in three different teeth sizes. The red handled Bigboy has large teeth, meant for ripping through fresh wood at high speed. The black handled Bigboy has medium teeth and can handle both fresh and dead wood. A fine teeth option to cut harder wood with high precision is the Bigboy with the blue handle.

The hole in the handle offers the possibility to attach a carabiner or rope to the saw.

PRIMARILY INTENDED FOR:

BIGBOY LARGE TEETH



Ref. KSI635436

BIGBOY MEDIUM TEETH



BIGBOY 360-10 Ref. KSI635036


BIGBOY FINE TEETH

.V.V.V.V.V.V.V.V.V.V.V.V.V.V.V.V.

BIGBOY 360-13 Ref. KSI635236 *

^{*} article number is for the complete saw

BIGBOY 360-7 AND BIGBOY 360-10





THE BIGBOY 2000 CURVE

The Bigboy 2000 is the ultimate outdoor saw. With a strong, extra thick blade this saw can handle big logs and trees. Ideal for those who like to build shelters or big campfires!

The slightly curved blade grabs the wood with ease and keeps the saw in the cut. This allows you to saw quickly without losing control. With the great performances of the Bigboy 2000, this lightweight saw is still compact enough to carry with you in a backpack on your trips.

The blade can simply be folded and unfolded by means of the locking button and has two different sawing positions. The rubber handle of the Bigboy 2000 ensures a safe and comfortable grip and is big enough to use with two hands, which has a great effect on the sawing power.

PRIMARILY INTENDED FOR:



BIGBOY 2000 CURVE



BIGBOY 2000 CURVE 360-6.5 (extra thick blade) Ref. KSI635636

BIGBOY 2000 CURVE 360-6.5



SPARE PARTS

BLADE HOLSTER BOLT Ref. KSI650436 Ref. KSI522000 Ref. KSI635736

64

1:1














THE KATANABOY

The Katanaboy family has the largest folding saws in the world. Perfect for preserving tranquil forest sounds on days that require trail maintenance from storm damaged trees or building your own log cabin. This saw works with pull power, reducing fatigue.

Fold the blade into the handle to protect from the razor sharp teeth. For safety purposes, this process happens in two phases: first the saw can be folded halfway, and then (watch your fingers!) the saw can be folded fully. Use the included case to sling it over your shoulder and bring it anywhere handsfree.

The Katanaboy family comes in three sizes. With extra coarse, extra large teeth for extremely aggressive speed and power.

PRIMARILY INTENDED FOR:



KATANABOY 1000



KATANABOY 1000-5-2.5 (world's biggest folding saw) Ref. KSI571099 *

KATANABOY 650



KATANABOY 650-4 Ref. KSI571065 *

KATANABOY 500



KATANABOY 500-5 Ref. KSI540350 *

* article number is for the complete saw


KATANABOY 500-5 AND KATANABOY 650-4

•mm •mmeserve

SPARE PARTS

BOLTBLADE (See page 118 forRef. KZSI36501all replacement blades)





THE **WOODBOY**

The Woodboy family is defined by extremely fine teeth on the blades, the finest available in the Silky Wood Saws range. These very fine teeth leave the smoothest possible cut. It also has a lightweight handle that is comfortable to hold, reduces vibrations, and offers superior grip. The blade folds into the handle for protection. The locking mechanism on the handle makes it possible to use the saw in two positions. The second position raises the handle to make it easier to saw on a flat surface.

There are two standard Woodboy options with the Kataba model, one with 26 teeth per 30 mm and the other with 32 teeth per 30 mm. Both the 26 teeth per 30 mm and the 32 teeth per 30 mm will leave behind exceptionally smooth cuts.

PRIMARILY INTENDED FOR:

ίH





WOODBOY 240-26 Ref. KSI638624 *

WOODBOY EXTRA FINE



WOODBOY 240-32 Ref. KSI638824 *

WOODBOY 240-32



SPARE PARTS

CASE BOLT

BLADE (See page 118 for Ref. KSI550524 Ref. KSI522000 all replacement blades)











THE WOODBOY DOVETAIL

There is also one version of the Woodboy family created for making complex joinery, such as dovetails. This is the Dozuki model, called the Woodboy 240-32 with reinforced back. This blade is not flexible and is not equiped for flush cutting. It has the extremely fine 32 teeth per 30 mm and a thin kerf of 0.66 mm.

Please note that the blades for the Woodboy with a reinforced back (Dozuki model) and the regular Woodboy family (Kataba models) are not interchangeable!

PRIMARILY INTENDED FOR:



WOODBOY DOVETAIL



WOODBOY 240-32 DOVETAIL (reinforced back) Ref. KSI638424 *

WOODBOY 240-32 DOVETAIL



CASE	BOLT	BLADE
Ref. KSI550524	Ref. KSI522000	Ref. KSI638524



THE OUTBACK SEDIES

THE **OUTBACK** SERIES

Silky has developed a completely new line of folding saws, specially designed for outdoor and hunting. The Outback series includes a Pocketboy, Gomboy Curve and Bigboy 2000. The blade can be locked in two positions and when not in use, you can fold it so that the sharp teeth are completely covered in the handle. The Pocketboy and Gomboy include a transparent case, the Bigboy comes with a nylon carrying case.

They all feature a black coating of a unique nickel and tin blend on their blades, including the teeth. This provides a long blade life and an incredible cutting performance, not only in wood but also when sawing bones. In addition, the dark, non-reflective color makes these saws particularly suitable for tactical operations.

The arbor composite handles have a warm and comfortable touch. No matter the cold or wet conditions, this handle offers a safe grip and superior control.

PRIMARILY INTENDED FOR:



POCKETBOY OUTBACK



POCKETBOY OUTBACK EDITION (extra thick blade)

GOMBOY OUTBACK



GOMBOY CURVE OUTBACK EDITION (extra thick blade)

BIGBOY OUTBACK



BIGBOY OUTBACK EDITION (extra thick blade)

POCKETBOY OUTBACK EDITION, GOMBOY CURVE OUTBACK EDITION AND BIGBOY OUTBACK EDITION







POLE SAWS

Pruning at high altitudes, but then safely with both feet on the ground. Silky's telescopic pole saws are lightweight and easy to use. Just place the blade on top of a branch and let the saw do the work. Due to gravity and the pulling movement, no force is

With the oval shape of the aluminum pole you have a very precise control over the direction of the blade. Moreover, this shape gives more strength and rigidity over the full length and reduces bending to

Pole saws are available in several series and lengths. All models have a dual locking mechanism, consisting of pushbuttons and levers. Together they create the safest and most stable locking of the preferred pole length.

DNGBO

1:1

THE LONGBOY

If you often take a pole saw with you in the cherry picker or car, then the Longboy was especially made for you! Because the blade is collapsible, the Longboy has a retracted length of just 145 cm. With the cover, the blade can be fastened to the pole, so that this compact pole saw can be safely and easily carried, transported and stowed.

You could easily prune trees all day long without getting tired, because the Longboy is lightweight and easy to handle. The sickle at the end of the blade helps you to keep the blade in the sawing cut. You can also use the sickle to cut little twigs off the trunk or to pull little (dead) branches from the tree.

PRIMARILY INTENDED FOR:

0

LONGBOY

V.V.V.V.V.V.V.V.

LONGBOY 3600-7.5 3-PARTS Ref. KSI636536 * _____

LONGBOY 3600-7.5 3-PARTS









THE ZUBAT POLE SAW

You may have heard of the Zübat hand saw family. The Zübat pole saws enable you to use your favorite Zübat blades on a pole saw.

Lightweight and easily maneuverable, the Zübat works at great heights and in densely grown spaces. The blade of the pole saw is interchangeable with the Zübat hand saws, enabling a fine teeth blade option for pruning seasoned trees or trees with hard wood, like many fruit trees.

The aluminum pole is oval-shaped, giving you precise control over the direction of the blade. It also has two locking mechanisms to create a safe and stable pole in your preferred length.

PRIMARILY INTENDED FOR:



ZÜBAT POLE SAW

V.V.V.V.V.V.V.V.


ZÜBAT 3900-7.5 2-PARTS Ref. KSI327218 * -----

ZÜBAT 3300-7.5 2-PARTS Ref. KSI327215 * -----

ZÜBAT 2700-7.5 2-PARTS Ref. KSI327212 *

78

ZÜBAT 3300-7.5 2-PARTS



spare parts)



THE FORESTER

The Forester has all characteristics of a professional pole saw, but prioritizes being lightweight and compact. With the thin blade you can easily maneuver, even at greater heights and in densely grown spaces. The aluminum pole is oval-shaped, giving you precise control over the direction of the blade. It also has two locking mechanisms to create a safe and stable pole in your preferred length.

The sickle at the end of the blade helps you to keep the blade in the sawing cut. You can also use the sickle to cut little twigs off the trunk or to pull little (dead) branches from the tree.

PRIMARILY INTENDED FOR:



FORESTER

VVVVVVVVVVV

FORESTER 4500-7.5 3-PARTS Ref. KSI027345 *

FORESTER 3000-7.5 3-PARTS Ref. KSI027330 * -----

FORESTER 3000-7.5 3-PARTS



spare parts)



THE HAYATE

A real heavy duty tool specially for professionals. The Hayate consists of a heavier construction than the Hayauchi, which makes this telescopic pole saw even more robust. The blade has Silky's unique Mirai-Me teeth and two sickles. The upper sickle keeps the blade in the sawing cut, while the lower sickle makes it easy to undercut bark. The lower sickle is detachable.

Choose from four different extended lengths. The Hayate 7700 is Silky's longest pole saw and allows you to prune up to 9 meters high in the tree. The aluminum pole is oval-shaped, giving you precise control over the direction of the blade. It also has two locking mechanisms to create a safe and stable pole in your preferred length.

PRIMARILY INTENDED FOR:



HAYATE

manam


HAYATE 7700-6.5 4-PARTS Ref. KSI037742 * _____

HAYATE 6100-6.5 4-PARTS Ref. KSI037242 *

HAYATE 5000-6.5 3-PARTS Ref. KSI037142 *

HAYATE 3800-6.5 2-PARTS Ref. KSI037042 * -----

HAYATE 5000-6.5 3-PARTS





THE HAYAUCHI

Professionals first choice! This telescopic pole saw is easy to use and lightweight.

The 390 mm long curved blade of the Hayauchi is equipped with Silky's unique 4-RETSUME teeth, enabling rapid sawing through the thickest branches and the flexibility to saw in all directions in relation to the wood grain. The blade is adjustable in two different angles for both high and low pruning. The upper sickle keeps the blade in the sawing cut, while the lower sickle makes it easy to undercut the bark.

The aluminum pole is oval-shaped, giving you precise control over the direction of the blade. It also has two locking mechanisms to create a safe and stable pole in your preferred length.

PRIMARILY INTENDED FOR:



HAYAUCHI

_ _ ___




HAYAUCHI 6300-6.5 4-PARTS Ref. KSI017939N * -----

HAYAUCHI 4900-6.5 3-PARTS Ref. KSI017839N *

HAYAUCHI 3670-6.5 2-PARTS Ref. KSI017739N *

HAYAUCHI 3000-6.5 3-PARTS (extra short and light) Ref. KSI017639N * ----

HAYAUCHI 4900-6.5 3-PARTS



^{*} article number is for the complete saw



THE HAYAUCHI ⁴⁸⁰

If you want the maximum amount of power, there is an option for the Hayauchi to come equipped with a 480 mm blade. This larger blade can handle branches up to 240 mm in diameter with incredible speed. The extra-large teeth glide through branches and leave behind smooth cuts.

All this extra power comes without sacrificing all the features of the Hayauchi that make it so popular. The oval-shaped aluminum pole gives you precise control over the direction of the blade and the two locking mechanisms create a safe and stable pole in whatever length you want to work at.

The detachable sickle can be used to make undercuts and also to pull dead branches from the tree.

PRIMARILY INTENDED FOR:



HAYAUCHI 480



1:1

HAYAUCHI 4-PARTS WITH 480 BLADE Ref, KSI073448 _____


HAYAUCHI 3-PARTS WITH 480 BLADE Ref. KSI073348 * -----

HAYAUCHI 2-PARTS WITH 480 BLADE Ref. KSI073248 *

HAYAUCHI 3-PARTS WITH 480 BLADE







or brush clearing.

Silky axes are made from Authentic Premium Japanese Steel and are characterized by a superior finish. Using this tool as a hatchet or a knife, you are always assured of a good grip. All models have a full tang blade and are provided with Silky's Genki grip.

safely and comfortably.



Chopping wood is sometimes faster and easier than sawing. When you don't need the accuracy of a Silky saw, some jobs can be better done with an axe. Think of debarking, snedding, layering hedges

This handle is made of just two rubber parts and can easily be zipped off the blade without the use of tools. Vibrations are maximally damped to work



THE NATA

In some cases, chopping is faster than sawing or cutting. The Nata is the best of a knife and axe in one tool. There are 4 different lengths and 2 different blade types available. All models include a scabbard with belt clip for easy carrying.

The Nata Single Edge is sharpened on one side of the blade and very suitable for chopping small branches, debarking trees and layering hedges. The Nata Double Edge is sharpened on both sides of the blade, making it very suitable for splitting wood.

The full tang blade, made of special alloy steel, runs through the handle in a slight angle for a perfect stroke. The comfortable Genki grip consists of two rubber parts that encase the steel without any screws or bolts, providing the best grip and maximum absorption of vibrations.

PRIMARILY INTENDED FOR:



NATA



NATA 240 DOUBLE EDGE Ref. KSI755524 *

NATA 180 DOUBLE EDGE NATA 150 DOUBLE EDGE Ref. KSI755518 *

Ref. KSI755515 *

NATA 240 SINGLE EDGE Ref. KSI755724 * NATA 180 SINGLE EDGE

Ref. KSI755718 *

NATA 210 SINGLE EDGE Ref. KSI755721

NATA 210 DOUBLE EDGE

Ref. KSI755521 *

NATA 210 DOUBLE EDGE



SPARE PARTS

HANDLE

BLADE (See page 119 for *Ref. KZSI55503* all replacement blades)



Holster included





NATA OUTBACK THE NATA OUTBACK WILL BE EXPECTED

THE

AT SELECTED BUSHCRAFT & OUTDOOR PARTNERS IN SPRING 2023

THE NATA ^{OUTBACK}


Silky introduces the Nata Outback, the ultimate axe for outdoor users. This special edition of the Nata 240 Double Edge features Silky's latest technology: Black Oxide coating. Through a special oxidation process, the blade gets its deep black color, which is particularly suitable for tactical operations. In addition, this finish offers extra protection against rust for the best chopping performance.

The Nata Outback is complete with Silky's Genki grip and a matching dark scabbard with belt clip for safe storage and easy carrying. The full tang blade runs through the comfortable handle in a slight angle for a perfect stroke. Because the blade is double sharpened, this axe is particularly suitable for making your shelter, splitting wood or batoning. Just what you need for campfires and outdoor cooking.

PRIMARILY INTENDED FOR:



NATA OUTBACK



NATA OUTBACK EDITION Ref. KSI775624 * NATA OUTBACK EDITION







THE ONO

This European-style axe is characterized by its full tang blade and superior nickel plated finish for smooth chopping and debarking. The Ono is exceptionally well balanced and its 12 cm double ground blade offers many possibilities for camping and bushcrafting.

Because the blade runs through the handle, this axe feels robust and sturdy and offers great control. The steel is encased by Silky's Genki grip, consisting of just two rubber parts without any screws or bolts. The handle can easily be zipped off the blade without the use of any tools and vibrations are maximally damped.

The Ono comes with a durable nylon sheath to protect the blade, and your fingers. The hole in both the handle, blade and the sheath makes it easy to secure or hang this tool.

PRIMARILY INTENDED FOR:



ONO



ONO 120 Ref. KSI756810 * ONO 120



SPARE PARTS

HANDLEBLADERef. KZSI55503Ref. KSI756910

95









THE YOKI

The Yoki billhook has a full tang blade with a strong curve towards the end for brush clearing and snedding. The blade is made of special alloy steel with a superior finish and has a 27 cm double ground cutting edge.

The rubber Genki grip is made of just two parts and has no bolts or screws for maximum comfort and control. The handle can easily be zipped off the blade without the use of tools and vibrations are maximally damped.

The Yoki comes with a durable nylon sheath to protect the blade, and your fingers. The hole in both the handle, blade and the sheath makes it easy to secure or hang this tool.

PRIMARILY INTENDED FOR:



YOKI



YOKI 270 Ref. KSI757027 * YOKI 270



SPARE PARTS

HANDLEBLADERef. KZSI57001Ref. KSI757127



Nylon sheath included









Accessories are the finishing touches to your saw. A rubber holster to always have your folding saw at hand, a pair of leg straps to attach the scabbard of your fixed saw to your leg or a HookFox to mount on your pole saw and pull branches out of the tree. All these accessories make pruning easier and more fun.

Silky has nice little gadgets.

THE **MERCHANDISE** - AND ACCESSORIES -

For the Silky fans there are several merchandise items available. A small giveaway can be a big gesture. You can dress yourself up in Silky clothes and for those who prefer to be less conspicuous,

MERCHANDIS

SILKY MERCHANDISE

@CANOPYCLIMBINGCOLLECTIVE

Silky clothing is for everyone. The polo's have a regular fit and are made from 60% cotton and 40% polyester. The T-shirts are available in men's and women's models. They have a regular fit and are made from 100% organic cotton.

SIKY

For less tropic conditions, Silky provides soft shell jackets and hoodies. A soft shell is a smooth, comfortable jacket that is windproof, water-repellent and also breathable. The inside is made of fleece to keep you warm. The jacket is clearly visible with the reflective piping on the front and the back and has several storage options with two side pockets, one on the chest and one on the arm.

Our comfortable Silky hoodie with pouch pocket is made of 85% cotton and 15% polyester (E.R.S. certified). The hoodie is finished with nice little details, like an embroidered Silky logo on the chest and a small Silky fox on the board. A real musthave for every Silky fan!

SILKY SHIRT

SILKY SHIRT (S-XXL) Ref. ZDSILKY-31S / -31M / -31L / -31XL / -31XXL

SILKY SHIRT FEMALE (S-M) Ref. ZDSILKY-31DS / -31DM

SILKY POLO SHIRT

SILKY POLO SHIRT (S-XXL) Ref. ZDSILKY-32BS / -32BM / -32BL / -32BXL / -32BXXL

SILKY HOODIE

SILKY HOODIE (S-XXL) Ref. ZDSILKY-61S / -61M / -61L / -61XL / -61XXL

SILKY JACKET

SILKY JACKET (S-XXXL)

Ref. ZDSILKY-49JS / -49JM / -49JL / -49JXL / -49JXXL / -49JXXXL

SILKY SHIRT

SILKY SHIRT FEMALE





SILKY HOODIE





SILKY POLO SHIRT



SILKY JACKET





SILKY **MERCHANDISE**

Silky

Keep a cool head with the Silky cap. Or keep it nice and warm wearing a beanie.

The original Silky Buff® has a homemade design of Japanese maple leaves. This multifunctional neck warmer is fully seamless and made out of high quality microfiber. With 14 different wear styles you can never do without it!

Kitsune is the Japanese word for fox. In ancient times, foxes lived closely with humans. Today, the legendary Kitsune still plays an important role in Japanese mythology. Our cute little Kitsune plush is 25 cm high and silky soft.

SILKY BEANIE

SILKY BEANIE Ref. ZDSILKY-50

SILKY BUFF® SILKY BUFF® Ref. ZDSILKY-52

SILKY CAP

SILKY CAP Ref. ZDSILKY-30Z

SILKY KITSUNE

SILKY KITSUNE Ref. ZDSILKY-60 SILKY BEANIE



Silky

SILKY CAP





SILKY KITSUNE



SILKY BUFF®





SILKY MERCHANDISE

SILKY MERCHANDISE

The Silky outdoor patch (10 x 4,5 cm) is a must-have for our outdoor fans. It can easily be ironed onto your backpack or clothes.

@ PRESS

"Every Silky requires a blood sacrifice." For small accidents there is Silky BandAid. The black sliding box contains 10 single packet hypoallergenic plasters.

Silky also has two types of bags. A large travel bag with front zip pocket and a cotton shopping bag that is easy foldable to take with you anywhere.

SILKY PATCH

Ref. ZDSILKY-51

SILKY BANDAID

SILKY BANDAID Ref. ZDSILKY-57

SILKY TRAVEL BAG

SILKY TRAVEL BAG Ref. ZDSILKY-34

SILKY COTTON SHOPPING BAG

SILKY COTTON SHOPPING BAG Ref. ZDSILKY-53 SILKY PATCH



SILKY TRAVEL BAG





SILKY BANDAID



SILKY COTTON SHOPPING BAG



SILKY MERCHANDISE

MERCHANDISE

A small giveaway can be a big gesture. Silky keychains are made from the same steel as the Silky saws. The cutting waste is used to make these unique items that are very popular with our fans. The stock is limited, ask for the possibilities.

For enjoying a warm drink, Silky provides a retro enamel mug. With a content of 350 ml, this mug is perfect for a large coffee or tea on the road.

The various Silky stickers are made of waterproof vinyl and cannot be missed on an arborists' van. For office supplies, Silky provides pens and USB sticks with 16 GB of memory. That always comes in handy. If desired, the USB's can be filled with your favourite Silky videos.

SILKY STICKER

Siky

SILKY STICKER Ref. ZDSILKY-28

SILKY MUG SILKY MUG Ref. ZDSILKY-MUG

SILKY USB-STICK (16G)

SILKY USB-STICK (16G) Ref. ZDSILKY-USB16GB

SILKY PEN

SILKY PEN Ref. ZDSILKY-BP

SILKY KEYCHAIN

SILKY KEYCHAIN on request



The sille



SILKY PEN





SILKY USB-STICK (16G)



SILKY KEYCHAIN



ACCESSORIES

SILKY ACCESSORIES

Folding saws can be stored in a strong and flexible rubber holster. Attach it to your belt and you always have your saw at hand. There are several models available, depending on the size of the saw. The Gomcase for the Bigboy is the largest one and made of polypropylene instead of rubber. In the Gomcase W double you can put your folding saw and secateurs together for all the pruning work.

When the teeth of a Silky saw are not induction hardened, they can be filed with the special Silky file. The teeth are ground in 4 angles, so the filing is very precise. Check www.silky-europe.com for more information. Saw blades with induction hardened teeth can be replaced.

The HookFox is suitable for the Hayauchi, Hayate, Longboy, Forester and Zübat pole saws. It can be used to pull down dead or cut branches which remain hanging in the tree or to lift a climbing rope up over a branch.

With the Silky leg straps you can attach the scabbard of a fixed saw to your leg. This is often done by tree climbers so they can easily grab the saw while being in difficult positions.

FOLDING SAW HOLSTERS

GOMCASE (SMALL)

GOMCASE (LARGE)

Ref. KSI580010

Ref. KSI580020

HOLSTER BIGBOY Ref. KSI650436

GOMCASE W DOUBLE Ref. KSI550320

FILE

SILKY FILE Ref. KZSI200000

HOOKFOX

SILKY HOOKFOX Ref. KSI042501

LEG STRAPS

SILKY LEG STRAP (for a holster you need two straps) Ref. KZSI5060413

HOLSTER BIGBOY



SILKY HOOKFOX





SILKY FILE




SILKY LEG STRAPS




SILKY **POLE SAW PARTS**

Silky saws are made to last a long time. By all means, it can happen that a part wears, breaks or gets lost. At that point it is nice that you do not have to buy a whole new saw and can just replace a part.

Compared with an ordinary saw, a pole saw consists of quite a few parts. Take a look at the spare parts drawings, literally all small parts are separately available. That makes a Silky saw always a sustainable choice.




THE ZÜBAT



Number	Name	Reference
1	blade Zübat 330	KSI327133
2	male clip scabbard	KZSI2720038
	male clip scabbard - (old 2015)	KSI327011
	female clip/washer	KSI327012
	screw cover	KSI327004
3	scabbard set	KZSI327251
4	blade fixing pipe	KSI327003N
	blade fixing pipe - (old 2007)	KSI327003
5 - 6 - 7	boltset	KSI310540
8	bolt	KZSI2720432
	boltset (old 2012)	KZSI36503
9	spring push button	KZSI3700478
	spring push button (old 2007)	KZSI327002
10	push button	KZSI3650438
11	spring fixing bolt	KZSI3700477
12	shaking-proof cover	KZSI2340405
13	shaking-proof spacer	KZSI327004

0-**3**-9-**3**



Reference

Number	Name	Reference
1	blade 380-7.5	KSI027438
2	blade cover	KZSI2730042
3A	plastic insert	KZSI27301
3B	clip	KZSI2730032
4	blade fixing pipe	KSI327003N
5 - 6 - 7	boltset	KSI310540
8	bolt (2 required)	KZSI2720432
9	spring push button	KZSI3700478
10	push button	KZSI3650438
11	spring fixing bolt	KZSI3700477
12 till 15	see assembly 16A or 16B	


THE LONGBOY

Number	Name	200 200 19 19 Reference		
1	blade Longboy 360	KSI636636		
2	belt clip	KZSI639000		
3	holder set	KZSI36509		
	holder for cover (old 2009)	KZSI3650406		
	holder bolt (old 2009)	KZSI3650436		
4	blade cover set	KZSI3650041		
5	blade fixing bolt set	KZSI36501		
6	blade fixing pipe assy	KZSI3650051	- Number	Name
	stopper rod pin (old 2009)	KZSI3650435	15A	cramp housing (S) as
7	bolt set	KZSI36503	15B	cramp housing (L) as
8 - 9 - 10	stopper button set	KZSI36504	16	bracket assy H Longb
11	lever	see 15A/15B	17	strap
12	shaking-proof spacer	KZSI327004	18	rubber sole set I
13A	rod pin	KZSI3700470	19	rubber grip tape
14A	cramp housing (S)	see 15A	20A	upper pole Longboy
	and a fac	KZSI3700470	20B	middle pole Longboy
13B	rod pin	KZ513700470	200	initiale pole congroy


15A	cramp housing (S) assy	KZSI36505
15B	cramp housing (L) assy	KZSI36506
16	bracket assy H Longboy	KZSI36507
17	strap	KZSI3700420
18	rubber sole set I	KZSI3650402
19	rubber grip tape	KZSI3650401
20A	upper pole Longboy	KZSI3650031
20B	middle pole Longboy	KZSI3650032
20C	lower pole Longboy	KZSI3650033

110			
11()		_	
	1		

Number	Name	Reference
14	shaking-proof red lever	KZSI1770469
15	shaking-proof rod pin	KZSI3700470
16	shaking proof stopper set	KZSI3272129
17	rubber sleeve	KZSI2720402
18	rubber sole	KZSI2720403
19	rubber tape	KZSI2720404
	rubber handle - (old 2007)	KZSI3272100
20	upper pole Zübat 1200/2700	KZSI3272121
	upper pole Zübat 1500/3300	KZSI3272151
	upper pole Zübat 1800/3900	KZSI3272181
21	lower pole Zübat 1200/2700	KZSI3272122
	lower pole Zübat 1500/3300	KZSI3272152
	lower pole Zübat 1800/3900	KZSI3272182
22	blade complete	KSI371333



Number	Name	Reference
16A	cramp housing (S) assembly	KZSI27302
16B	cramp housing (L) assembly	KZSI27303
17	rubber sleeve	KZSI2730402
18	rubber sole	KZSI2730403
19	rubber grip tape	KZSI2730401
20A	upper pole Forester 3000	KZSI2730022
	upper pole Forester 4500	KZSI2730026
20B	middle pole Forester 3000	KZSI2730023
	middle pole Forester 4500	KZSI2730027
20C	lower pole Forester 3000	KZSI2730012
	lower pole Forester 4500	KZSI2730014
21	blade complete Forester	KZSI071238




1blade Hayate 420-6.5KSI0373422sickle HayateKSI0375423cover HayateKZSI37004014yellow pipeKZSI3700915Blade Fixing Bolt, HayateKZSI37004446bolt yellow pipe (2 required)KZSI37004419Apush button middleKZSI17704969Bpush button largeKZSI177049710spring push buttonKZSI370047811spring fixing boltKZSI370046112Bcramp housing (S)KZSI370046212Ccramp housing (L)KZSI370046313spacerKZSI370047714leverKZSI370047016Abracket (S) 3800KZSI370046316Cbracket (M) 5000KZSI370046816Cbracket (L) 6100KZSI370043518bracket nutKZSI370043619Arubber grip tape 3800KZSI370042119Brubber grip tape 5000/6100KZSI370046421Brubber sole 3800KZSI370046521Crubber sole 5000KZSI3700465	Number	Name	Reference
3cover HayateKZSI37004014yellow pipeKZSI3700915Blade Fixing Bolt, HayateKZSI37004446bolt yellow pipe (2 required)KZSI37004419Apush button middleKZSI37004419Apush button largeKZSI17704969Bpush button largeKZSI370047811spring push buttonKZSI370047811spring fixing boltKZSI370046112Bcramp housing (S)KZSI370046212Ccramp housing (L)KZSI370046313spacerKZSI370047714leverKZSI370047016Abracket (S) 3800KZSI370046816Cbracket (M) 5000KZSI370046816Cbracket (L) 6100KZSI370043518bracket nutKZSI370043519Arubber grip tape 3800KZSI370042220strapKZSI370046421Brubber sole 3800KZSI3700465	1	blade Hayate 420-6.5	KSI037342
4yellow pipeKZSI37000915Blade Fixing Bolt, HayateKZSI37004446bolt yellow pipe (2 required)KZSI37004419Apush button middleKZSI17704969Bpush button largeKZSI177049710spring push buttonKZSI370047811spring fixing boltKZSI370046112Acramp housing (S)KZSI370046212Ccramp housing (L)KZSI370046313spacerKZSI370047714leverKZSI370047016Abracket (S) 3800KZSI370046716Bbracket (L) 6100KZSI370046816Cbracket L 010KZSI370043518bracket nutKZSI370043619Arubber grip tape 3800KZSI370042220strapKZSI370046421Brubber sole 3800KZSI3700464	2	sickle Hayate	KSI037542
5Blade Fixing Bolt, HayateKZSI37004446bolt yellow pipe (2 required)KZSI37004419Apush button middleKZSI37004419Apush button largeKZSI17704969Bpush button largeKZSI370047710spring push buttonKZSI370047811spring fixing boltKZSI370046112Acramp housing (S)KZSI370046212Ccramp housing (L)KZSI370046313spacerKZSI370047714leverKZSI370047016Abracket (S) 3800KZSI370046716Bbracket (L) 6100KZSI370046816Cbracket L0 6100KZSI370043617bracket nutKZSI370043618bracket nutKZSI370042119Brubber grip tape 3800KZSI370042220strapKZSI370046421Brubber sole 3800KZSI3700465	3	cover Hayate	KZSI3700401
6bolt yellow pipe (2 required)KZSI37004419Apush button middleKZSI17704969Bpush button largeKZSI177049710spring push buttonKZSI370047811spring fixing boltKZSI370047712Acramp housing (S)KZSI370046112Bcramp housing (M)KZSI370046212Ccramp housing (L)KZSI370046313spacerKZSI370047214leverKZSI370047016Abracket (S) 3800KZSI370046616Cbracket (M) 5000KZSI370046816Cbracket (L) 6100KZSI370043518bracket nutKZSI370043619Arubber grip tape 3800KZSI370042220strapKZSI370046421Brubber sole 3800KZSI3700465	4	yellow pipe	KZSI3700091
9A push button middle KZSI1770496 9B push button large KZSI1770497 10 spring push button KZSI3700478 11 spring fixing bolt KZSI3700477 12A cramp housing (S) KZSI3700461 12B cramp housing (M) KZSI3700462 12C cramp housing (L) KZSI3700463 13 spacer KZSI3700463 13 spacer KZSI3700472 14 lever KZSI3700470 16A bracket (S) 3800 KZSI3700467 16B bracket (S) 3800 KZSI3700467 16B bracket (L) 6100 KZSI3700468 16C bracket (L) 6100 KZSI3700436 17 bracket bolt KZSI3700436 19A rubber grip tape 3800 KZSI3700421 19B rubber grip tape 5000/6100 KZSI3700420 21A rubber sole 3800 KZSI3700464 21B rubber sole 5000 KZSI3700465	5	Blade Fixing Bolt, Hayate	KZSI3700444
9B push button large KZSI1770497 10 spring push button KZSI3700478 11 spring fixing bolt KZSI3700477 12A cramp housing (S) KZSI3700461 12B cramp housing (M) KZSI3700462 12C cramp housing (L) KZSI3700463 13 spacer KZSI3700472 14 lever KZSI3700470 16A bracket (S) 3800 KZSI3700467 16B bracket (S) 3800 KZSI3700467 16B bracket (L) 6100 KZSI3700468 16C bracket (L) 6100 KZSI3700468 17 bracket bolt KZSI3700435 18 bracket nut KZSI3700436 19A rubber grip tape 3800 KZSI3700421 19B rubber grip tape 5000/6100 KZSI3700422 20 strap KZSI3700464 21B rubber sole 3800 KZSI3700465	6	bolt yellow pipe (2 required)	KZSI3700441
10 spring push button KZSI3700478 11 spring fixing bolt KZSI3700477 12A cramp housing (S) KZSI3700461 12B cramp housing (M) KZSI3700462 12C cramp housing (L) KZSI3700463 13 spacer KZSI3700472 14 lever KZSI3700471 15 rod pin KZSI3700467 16A bracket (S) 3800 KZSI3700467 16B bracket (M) 5000 KZSI3700468 16C bracket (L) 6100 KZSI3700463 17 bracket bolt KZSI3700435 18 bracket nut KZSI3700436 19A rubber grip tape 3800 KZSI3700421 19B rubber grip tape 5000/6100 KZSI3700422 20 strap KZSI3700420 21A rubber sole 3800 KZSI3700464 21B rubber sole 5000 KZSI3700465	9A	push button middle	KZSI1770496
11 spring fixing bolt KZSI3700477 12A cramp housing (S) KZSI3700461 12B cramp housing (M) KZSI3700462 12C cramp housing (L) KZSI3700463 13 spacer KZSI3700472 14 lever KZSI3700471 15 rod pin KZSI3700467 16A bracket (S) 3800 KZSI3700467 16B bracket (M) 5000 KZSI3700468 16C bracket (L) 6100 KZSI3700468 17 bracket bolt KZSI3700435 18 bracket nut KZSI3700421 19B rubber grip tape 3800 KZSI3700422 20 strap KZSI3700464 21B rubber sole 3800 KZSI3700465	9B	push button large	KZSI1770497
12A cramp housing (S) KZSI3700461 12B cramp housing (M) KZSI3700462 12C cramp housing (L) KZSI3700463 13 spacer KZSI3700472 14 lever KZSI3700470 15 rod pin KZSI3700467 16A bracket (S) 3800 KZSI3700467 16B bracket (M) 5000 KZSI3700468 16C bracket (L) 6100 KZSI3700469 17 bracket bolt KZSI3700435 18 bracket nut KZSI3700436 19A rubber grip tape 3800 KZSI3700421 19B rubber grip tape 5000/6100 KZSI3700422 20 strap KZSI3700464 21B rubber sole 5000 KZSI3700465	10	spring push button	KZSI3700478
12B cramp housing (M) KZSI3700462 12C cramp housing (L) KZSI3700463 13 spacer KZSI3700472 14 lever KZSI3700471 15 rod pin KZSI3700467 16A bracket (S) 3800 KZSI3700467 16B bracket (M) 5000 KZSI3700468 16C bracket (L) 6100 KZSI3700469 17 bracket bolt KZSI3700435 18 bracket nut KZSI3700436 19A rubber grip tape 3800 KZSI3700422 20 strap KZSI3700420 21A rubber sole 3800 KZSI3700464 21B rubber sole 5000 KZSI3700465	11	spring fixing bolt	KZSI3700477
12C cramp housing (L) KZSI3700463 13 spacer KZSI3700472 14 lever KZSI3700472 14 lever KZSI3700471 15 rod pin KZSI3700470 16A bracket (S) 3800 KZSI3700467 16B bracket (M) 5000 KZSI3700468 16C bracket (L) 6100 KZSI3700469 17 bracket bolt KZSI3700435 18 bracket nut KZSI3700436 19A rubber grip tape 3800 KZSI3700421 19B rubber grip tape 5000/6100 KZSI3700422 20 strap KZSI3700420 21A rubber sole 3800 KZSI3700464 21B rubber sole 5000 KZSI3700465	12A	cramp housing (S)	KZSI3700461
13 spacer KZSI3700472 14 lever KZSI3700471 15 rod pin KZSI3700470 16A bracket (S) 3800 KZSI3700467 16B bracket (M) 5000 KZSI3700468 16C bracket (L) 6100 KZSI3700469 17 bracket bolt KZSI3700435 18 bracket nut KZSI3700436 19A rubber grip tape 3800 KZSI3700421 19B rubber grip tape 5000/6100 KZSI3700422 20 strap KZSI3700464 21A rubber sole 3800 KZSI3700464 21B rubber sole 5000 KZSI3700465	12B	cramp housing (M)	KZSI3700462
14 lever KZSI3700471 15 rod pin KZSI3700470 16A bracket (S) 3800 KZSI3700467 16B bracket (M) 5000 KZSI3700468 16C bracket (L) 6100 KZSI3700469 17 bracket bolt KZSI3700435 18 bracket nut KZSI3700436 19A rubber grip tape 3800 KZSI3700421 19B rubber grip tape 5000/6100 KZSI3700422 20 strap KZSI3700420 21A rubber sole 3800 KZSI3700464 21B rubber sole 5000 KZSI3700465	12C	cramp housing (L)	KZSI3700463
15 rod pin KZSI3700470 16A bracket (S) 3800 KZSI3700467 16B bracket (M) 5000 KZSI3700468 16C bracket (L) 6100 KZSI3700469 17 bracket bolt KZSI3700435 18 bracket nut KZSI3700436 19A rubber grip tape 3800 KZSI3700421 19B rubber grip tape 5000/6100 KZSI3700422 20 strap KZSI3700420 21A rubber sole 3800 KZSI3700464 21B rubber sole 5000 KZSI3700465	13	spacer	KZSI3700472
16A bracket (S) 3800 KZSI3700467 16B bracket (M) 5000 KZSI3700468 16C bracket (L) 6100 KZSI3700469 17 bracket bolt KZSI3700435 18 bracket nut KZSI3700436 19A rubber grip tape 3800 KZSI3700421 19B rubber grip tape 5000/6100 KZSI3700422 20 strap KZSI3700420 21A rubber sole 3800 KZSI3700464 21B rubber sole 5000 KZSI3700465	14	lever	KZSI3700471
I6B bracket (M) 5000 KZSI3700468 I6C bracket (L) 6100 KZSI3700469 17 bracket bolt KZSI3700435 18 bracket nut KZSI3700436 19A rubber grip tape 3800 KZSI3700421 19B rubber grip tape 5000/6100 KZSI3700422 20 strap KZSI3700420 21A rubber sole 3800 KZSI3700464 21B rubber sole 5000 KZSI3700465	15	rod pin	KZSI3700470
16C bracket (L) 6100 KZSI3700469 17 bracket bolt KZSI3700435 18 bracket nut KZSI3700436 19A rubber grip tape 3800 KZSI3700421 19B rubber grip tape 5000/6100 KZSI3700422 20 strap KZSI3700420 21A rubber sole 3800 KZSI3700464 21B rubber sole 5000 KZSI3700465	16A	bracket (S) 3800	KZSI3700467
17 bracket bolt KZSI3700435 18 bracket nut KZSI3700436 19A rubber grip tape 3800 KZSI3700421 19B rubber grip tape 5000/6100 KZSI3700422 20 strap KZSI3700420 21A rubber sole 3800 KZSI3700464 21B rubber sole 5000 KZSI3700465	16B	bracket (M) 5000	KZSI3700468
18 bracket nut KZSI3700436 19A rubber grip tape 3800 KZSI3700421 19B rubber grip tape 5000/6100 KZSI3700422 20 strap KZSI3700420 21A rubber sole 3800 KZSI3700464 21B rubber sole 5000 KZSI3700465	16C	bracket (L) 6100	KZSI3700469
19A rubber grip tape 3800 KZSI3700421 19B rubber grip tape 5000/6100 KZSI3700422 20 strap KZSI3700420 21A rubber sole 3800 KZSI3700464 21B rubber sole 5000 KZSI3700465	17	bracket bolt	KZSI3700435
19B rubber grip tape 5000/6100 KZSI3700422 20 strap KZSI3700420 21A rubber sole 3800 KZSI3700464 21B rubber sole 5000 KZSI3700465	18	bracket nut	KZSI3700436
20 strap KZSI3700420 21A rubber sole 3800 KZSI3700464 21B rubber sole 5000 KZSI3700465	19A	rubber grip tape 3800	KZSI3700421
21A rubber sole 3800 KZSI3700464 21B rubber sole 5000 KZSI3700465	19B	rubber grip tape 5000/6100	KZSI3700422
21B rubber sole 5000 KZSI3700465	20	strap	KZSI3700420
	21A	rubber sole 3800	KZSI3700464
21C rubber sole KZSI3700466	21B	rubber sole 5000	KZSI3700465
	21C	rubber sole	KZSI3700466

lumber	Name	Reference
22	bolt rubber sole	KZSI3700437
23A	upper pole 3800	KZSI3700031
23B	lower pole 3800	KZSI3700032
24A	upper pole 5000	KZSI3700033
24B	middle pole 5000	KZSI3700034
24C	lower pole 5000	KZSI3700035
5A	upper pole 6100	KZSI3700036
25B	middle/upper pole 6100	KZSI3700037
25C	middle/lower pole 6100	KZSI3700038
25D	lower pole 6100	KZSI3700039
26A	upper pole 7700	KZSI3700051
26B	middle/upper pole 7700	KZSI3700052
26C	middle/lower pole 7700	KZSI3700053
26D	lower pole 7700	KZSI3700054
27	boltset blade assembling (set A)	KZSI3703959
28	cramp housing (S) (assy C)	KZSI3703953
9	cramp housing (M) (assy D)	KZSI3703954
0	cramp housing (L) (assy E)	KZSI3703955
31	bracket (S) 3800 (assy F)	KZSI3703956
2	bracket (M) 5000 (assy G)	KZSI3703957
3	bracket (L) 6100 (assy H)	KZSI3703958
34	blade complete Hayate 420-6.5	KSI037442
	pole 3800 complete	KSI037043
	pole 5000 complete	KSI037143
	pole 6100 complete	KSI037243
	pole 7700 complete	KSI037743

THE HAYAUCHI

Number	Name	Reference
1	blade Hayauchi 480	KZSI72448
2	sickle Hayauchi 480	KZSI72560
3	blade cover Hayauchi 480	KZSI73271
4	screw set Hayauchi 480	KZSI72101
5	blade fixing pipe Hayauchi 480	KZSI1860091
6	bolt black Hayauchi	KZSI1770450
7	blade complete Hayauchi 480	KSI072148



Number	Name	Reference
1	blade Hayauchi 390	KZSI177399N
2	cover Hayauchi 390	KZSI177402
3	boltset blade assembling	KZSI177001-4N
4	blade fixing pipe	KZSI177013
5	bolt fixing pipe	KZSI1770450
6	blade complete with cover & pipe	KZSI177401
7A	spring push button	KZSI1770448
7B	spring push button	KZSI3700478
	spring push button (old 2006)	KZSI1770465
8B	push button middle	KZSI1770496
8C	push button large	KZSI1770497
9	screw for fixing spring	KZSI3700477
10A	shaking-proof cover small	KZSI1770466
10B	shaking-proof cover middle	KZSI1770467
10C	shaking-proof cover large	KZSI1770472
11	shaking-proof spacer	KZSI1770471
12	shaking-proof red lever	KZSI1770469
13	shaking-proof rod pin	KZSI3700470
14A	shaking-proof stopper set small	KZSI1773952
14B	shaking-proof stopper set middle	KZSI1773953
14C	shaking-proof stopper set large	KZSI1773954
15A	upper pole 3670	KZSI1770460

pole complete 6300

KSI017940

Evampl	a nictura
LAAIIIDI	e picture

.....

· · · ·



N	lame saw	Blade (mm)	Teeth per 30 mm	Weight (g)	Kerf (mm)	Reference	Price (excl. VAT)
G	OMTARO 180-8	180	8	350	1.3	KSI310218	44,77
G	OMTARO 210-8	210	8	360	1.4	KSI310221	45,98
G	OMTARO 240-8	240	8	370	1.4	KSI310224	48,43
G	OMTARO 270-8	270	8	390	1.4	KSI310227	51, ⁵²
G	OMTARO 300-8	300	8	405	1.4	KSI310230	54, ⁵⁸
G	OMTARO 330-8	330	8	410	1.3	KSI310233	66, ³⁷
В	LADE GOMTARO 180-8	180	8	65	1.3	KSI310318	25,86
В	LADE GOMTARO 210-8	210	8	70	1.4	KSI310321	26,65
В	LADE GOMTARO 240-8	240	8	75	1.4	KSI310324	28,28
В	LADE GOMTARO 270-8	270	8	85	1.4	KSI310327	30,16
В	LADE GOMTARO 300-8	300	8	90	1.4	KSI310330	31,99
В	LADE GOMTARO 330-8	330	8	95	1.3	KSI310333	39,69
_							
G	OMTARO FINE 240-13	240	13	355	1.1	KSI310424	48 , ⁴³
G	OMTARO FINE 270-13	270	13	370	1.1	KSI310427	51, ⁵²
G	OMTARO FINE 300-13	300	13	385	1.1	KSI310430	54, ⁵⁸
G	OMTARO FINE 330-13	330	13	400	1.2	KSI310433	66, ³⁷
В	LADE GOMTARO FINE 240-13	240	13	65	1.1	KSI310524	28,28
В	LADE GOMTARO FINE 270-13	270	13	70	1.1	KSI310527	30,16
В	LADE GOMTARO FINE 300-13	300	13	75	1.1	KSI310530	31,99
В	LADE GOMTARO FINE 330-13	330	13	80	1.2	KSI310633	39, ⁶⁹
G	OMTARO ROOT 240-8	240	13	365	1.3	KSI315324	51, ⁰⁵
В	LADE GOMTARO ROOT 240-8	240	13	80	1.3	KSI315424	30,16
G	OMTARO NIDANGIRI	270	8+10	385	1.4	KSI340927	59, ³⁶
В	LADE GOMTARO NIDANGIRI	270	8+10	85	1.4	KSI341027	35,67
G	OMTARO PRO-SENTEI	240	8+14	355	1.1	KSI310824	51, ⁰⁵
G	OMTARO PRO-SENTEI	300	8+14	395	1.3	KSI310830	65, ⁰²
В	LADE GOMTARO PRO-SENTEI	240	8+14	65	1.1	KSI310924	30,16
В	LADE GOMTARO PRO-SENTEI	300	8+14	90	1.3	KSI310930	38,30
T	SURUGI 200-8	200	8	385	1.5	KSI345020	62,79
T	SURUGI 300-8	300	8	435	1.6	KSI345030	69,74
T	SURUGI 400-8	400	8	500	1.7	KSI345040	80,20
T	SURUGI 200-10	200	10	390	1.5	KSI345220	62,79
T	SURUGI 300-10	300	10	435	1.6	KSI345230	69,74
T	SURUGI 400-10	400	10	505	1.7	KSI345240	80,20
В	LADE TSURUGI 200-8	200	8	75	1.5	KSI345120	34,87
В	LADE TSURUGI 300-8	300	8	95	1.6	KSI345130	40,09
В	LADE TSURUGI 400-8	400	8	125	1.7	KSI345140	45,33
В	LADE TSURUGI 200-10	200	10	75	1.5	KSI345320	34,87
В	LADE TSURUGI 300-10	300	10	95	1.6	KSI345330	40,09
В	LADE TSURUGI 400-10	400	10	130	1.7	KSI345340	45,33

	BLADE TSURUGI CURVE 330-7.
	BLADE TSURUGI CURVE 375-6.
	BLADE TSURUGI CURVE 210-10
	BLADE TSURUGI CURVE 270-10
	BLADE TSURUGI CURVE 330-10
	ZÜBAT 240-7.5
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ZÜBAT 270-7.5
	ZÜBAT 300-7.5
	ZÜBAT 330-7.5
	ZÜBAT 390-7.5
	ZÜBAT FINE 330-10
	BLADE ZÜBAT 240-7.5
	BLADE ZÜBAT 270-7.5
	BLADE ZÜBAT 300-7.5
	BLADE ZÜBAT 330-7.5
	BLADE ZÜBAT 390-7.5
	BLADE ZÜBAT FINE 330-10
	ZÜBAT ARBORIST 330-5.5
	BLADE ZÜBAT ARBORIST 330-5
T	
Data Maria	GUN-FIGHTER 270-8.5-6
	GUN-FIGHTER 300-8.5-6
	GUN-FIGHTER 330-8.5-6
	BLADE GUN-FIGHTER 270-8.5-6
	BLADE GUN-FIGHTER 300-8.5-6
	BLADE GUN-FIGHTER 330-8.5-6
	NATANOKO 60 300-7.5
	NATANOKO 60 330-7-8
•	BLADE NATANOKO 60 300-7.5
	BLADE NATANOKO 60 330-7-8

....

	NATANOKO 2000 330-6.5
**************	BLADE NATANOKO 2000 330-6



Name saw	Blade (mm)	Teeth per 30 mm	Weight (g)	Kerf (mm)	Reference	Price (excl. VAT)
TSURUGI CURVE 270-7.5	270	7.5	420	1.5	KSI345427	73, ²⁶
TSURUGI CURVE 330-7.5	330	7.5	460	1.6	KSI345433	80,24
TSURUGI CURVE 375-6.5	375	7.5	480	1.7	KSI345437	87,20
TSURUGI CURVE 270-10	270	10	430	1.5	KSI345627	73 , ²⁶
TSURUGI CURVE 330-10	330	10	470	1.6	KSI345633	80,24
TSURUGI CURVE LEFTY 330-7.5	330	7.5	460	1.6	KSI345833	80,24
TSURUGI CURVE LEFTY 375-6.5	375	7.5	480	1.7	KSI345837	87,20
BLADE TSURUGI CURVE 210-7.5	210	7.5	85	1.4	KSI345521	33,49
BLADE TSURUGI CURVE 270-7.5	270	7.5	100	1.5	KSI345527	39,41
BLADE TSURUGI CURVE 330-7.5	330	7.5	115	1.6	KSI345533	45, ³⁵
BLADE TSURUGI CURVE 375-6.5	375	7.5	125	1.7	KSI345537	52, ³²
BLADE TSURUGI CURVE 210-10	210	10	85	1.4	KSI345721	33,49
BLADE TSURUGI CURVE 270-10	270	10	100	1.5	KSI345727	39,41
BLADE TSURUGI CURVE 330-10	330	10	115	1.6	KSI345733	45 , ³⁵
						,
ZÜBAT 240-7.5	240	7.5	445	1.4	KSI327024	56, ³⁷
ZÜBAT 270-7.5	270	7.5	450	1.4	KSI327027	59, ¹⁹
ZÜBAT 300-7.5	300	7.5	490	1.4	KSI327030	62, ⁰¹
ZÜBAT 330-7.5	330	7.5	495	1.4	KSI327033	64, ⁸²
	390	7.5	610	1.4	KSI327039	74 , ⁶⁰
ZÜBAT FINE 330-10	330	10	500	1.4	KSI327833	64, ⁸²
BLADE ZÜBAT 240-7.5	240	7.5	80	1.4	KSI327124	33 , ⁸³
BLADE ZÜBAT 270-7.5	270	7.5	90	1.4	KSI327127	36,64
BLADE ZÜBAT 300-7.5	300	7.5	115	1.4	KSI327130	39,47
BLADE ZÜBAT 330-7.5	330	7.5	120	1.4	KSI327133	42, ²⁹
BLADE ZÜBAT 390-7.5	390	7.5	140	1.4	KSI327139	49, ⁷³
BLADE ZÜBAT FINE 330-10	330	10	120	1.4	KSI327933	42, ²⁹
ZÜBAT ARBORIST 330-5.5	330	5.5	505	1.4	KSI372233	68, ⁸⁴
BLADE ZÜBAT ARBORIST 330-5.5	330	5.5	120	1.4	KSI372333	43,46
GUN-FIGHTER 270-8.5-6	270	8.5-6	445	1.4	KSI673027	62,88
GUN-FIGHTER 300-8.5-6	300	8.5-6	460	1.4	KSI673030	66, ³⁶
GUN-FIGHTER 330-8.5-6	330	8.5-6	465	1.4	KSI673033	69 , ⁸⁵
BLADE GUN-FIGHTER 270-8.5-6	270	8.5-6	75	1.4	KSI673127	31,43
BLADE GUN-FIGHTER 300-8.5-6	300	8.5-6	80	1.4	KSI673130	34,93
BLADE GUN-FIGHTER 330-8.5-6	330	8.5-6	85	1.4	KSI673133	38,42
NATANOKO 60 300-7.5	300	7.5	450	1.4	KSI312930	60 , ⁵⁶
NATANOKO 60 330-7-8	330	7-8	455	1.4	KSI312933	65 , ⁴⁶
BLADE NATANOKO 60 300-7.5	300	7.5	125	1.4	KSI313030	40,51
BLADE NATANOKO 60 330-7-8	330	7-8	145	1.4	KSI313033	43, ²⁶
NATANOKO 2000 330-6.5	330	6.5	455	1.4	KSI340133	77,93
BLADE NATANOKO 2000 330-6.5	330	6.5	130	1.4	KSI340233	49,79

Example picture	Name saw	Blade (mm)	Teeth per 30 mm	Weight (g)	Kerf (mm)	Reference	Price (excl. VAT)	Example picture
	SUGOI 330-6.5-5.5	330	5.5-6.5	580	1.7	KSI639033	89, ¹³	
Barry Landsons	SUGOI 360-6.5-5.5	360	5.5-6.5	590	1.7	KSI639036	92, ³⁶	
Contraction of the second seco	SUGOI 420-6.5-5.5	420	5.5-6.5	610	1.7	KSI639042	98, ⁰⁷	
	BLADE SUGOI 330-6.5-5.5	330	5.5-6.5	175	1.7	KSI639133	58, ²⁴	
	BLADE SUGOI 360-6.5-5.5	360	5.5-6.5	180	1.7	KSI639136	59, ⁹⁴	
	BLADE SUGOI 420-6.5-5.5	420	5.5-6.5	190	1.7	KSI639142	65, ³⁹	
۵	SUGOWAZA 420-6.5-5.5	420	5.5-6.5	710	1.7	KSI641942	97,65	
	BLADE SUGOWAZA 420-6.5-5.5	420	5.5-6.5	220	1.7		62,79	
	DLADE 3000WAZA 420°0.3°3.3	420	5.5-0.5	220	1.7	KSI642042	02,	
0/9ev /N18/1900	IBUKI 390-5.5	390	5.5	735	1.7	KSI327539	90,98	
	BLADE IBUKI 390-5.5	390	5.5	155	1.7	KSI327639	60, ⁸⁷	
CEBry CREENCE-TEPHSone.soo	GENKI TEMAGARI 500-5-3	500	5-3	760	1.7	KSI355050	174,11	
	HIBIKI RYOBA 210-22+10	210	22+10	345	0.9	KSI639621	75,15	
	BLADE HIBIKI RYOBA 210-22+10	210	22+10	65	0.9	KSI639721	40,51	
	DOCKETRON 120. 0	12.0	0	175	11	1/01504610	20.98	
Contraction of the Account of the Ac	POCKETBOY 130-8	130	8	175	1.1	KSI534613	32,98	
C C C C C C C C C C C C C C C C C C C	POCKETBOY 170-8 POCKETBOY 130-10	170	8	220 170	1.1	KSI534617 KSI534013	34,75	
	POCKETBOY 130-10 POCKETBOY 170-10	130	10	220	1.1	KSI534013 KSI534017	32, ⁹⁸	· consor
	POCKETBOY 130-20	130	20	170	0.9	KSI534017 KSI534213	32,98	
	POCKETBOY 170-20	170	20	215	0.9	KSI534217	34,75	
	POCKETBOY 130-26	130	20	165	0.9	KSI534413	32,98	
	POCKETBOY 170-26	170	26	210	0.8	KSI534417	34,75	
	BLADE POCKETBOY 130-8	130	8	25	1.1	KSI534713	19,14	
	BLADE POCKETBOY 170-8	170	8	35	1.1	KSI534717	20,92	
	BLADE POCKETBOY 130-10	130	10	25	1.1	KSI534113	19,14	
	BLADE POCKETBOY 170-10	170	10	30	1.1	KSI534117	20,92	
	BLADE POCKETBOY 130-20	130	20	20	0.9	KSI534313	19,14	
	BLADE POCKETBOY 170-20	170	20	25	0.9	KSI534317	20,92	
	BLADE POCKETBOY 130-26	130	26	20	0.8	KSI534513	19,14	
	BLADE POCKETBOY 170-26	170	26	25	0.8	KSI534517	20,92	
	POCKETBOY CURVE 130-8	130	8	175	1.2	KSI572613	33, ⁹³	
C VXYXXVXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	POCKETBOY CURVE 170-8	170	8	220	1.2	KSI572617	35,72	
THE REAL PROPERTY OF THE REAL	BLADE POCKETBOY CURVE 130-8	130	8	30	1.2	KSI572713	20,08	Constant of the second
	BLADE POCKETBOY CURVE 170-8	170	8	35	1.2	KSI572717	21,99	
	5100.75	10-		105		1/01=10=10	00.35	
CSRY RUO	F180-7.5	180	7.5	165	1.3	KSI512518N	23,36	
~****************	F180-14	180	14	155	1.1	KSI514118	23,36	
	BLADE F180-7.5	180	7.5	35	1.3	KSI512618N	15,19	

ULTRA ACCEL 240-7.5 ULTRA ACCEL CURVE 240-7.5 ULTRA ACCEL TAIKO 240-10 BLADE ULTRA ACCEL 240-7.5 BLADE ULTRA ACCEL CURVE 240 BLADE ULTRA ACCEL TAIKO 240 GOMBOY 210-10

Name saw

SUPER ACCEL 210-7.5 SUPER ACCEL 210-14 BLADE SUPER ACCEL 210-7.5 BLADE SUPER ACCEL 210-14

GOMBOY 240-10 GOMBOY 270-10 GOMBOY 300-10 GOMBOY 270-20 BLADE GOMBOY 210-10 BLADE GOMBOY 240-10 BLADE GOMBOY 270-10 BLADE GOMBOY 300-10 BLADE GOMBOY 270-20

GOMBOY CURVE 210-8 GOMBOY CURVE 240-8 GOMBOY CURVE 270-8 GOMBOY CURVE 270-8 BLADE GOMBOY CURVE 210-8 BLADE GOMBOY CURVE 210-8 BLADE GOMBOY CURVE 240-8 BLADE GOMBOY CURVE 270-8





180

14

35

1.1

KSI514218

15,¹⁹

BLADE F180-14

	Blade (mm)	Teeth per 30 mm	Weight (g)	Kerf (mm)	Reference	Price (excl. VAT)
	210	7.5	200	1.3	KSI511021	36, ⁰¹
	210	14	190	1.1	KSI511721	36,01
	210	7.5	40	1.3	KSI511221	21,97
	210	14	40	1.1	KSI511821	21,97
	240	7.5	300	1.3	KSI544424	49 , ¹³
	240	7.5	295	1.3	KSI544624	49 , ¹³
	240	10	315	1.3	KSI544224	49 , ¹³
	240	7.5	57	1.3	KSI544524	28,09
0-7.5	240	7.5	63	1.3	KSI544724	28,09
10-10	240	10	61	1.3	KSI544324	28, ⁰⁹
	210	10	230	1.2	KSI522121	41, ⁷⁸
	240	10	265	1.3	KSI522124	48, ⁸⁹
	270	10	290	1.3	KSI522127	53, ⁶¹
	300	10	315	1.3	KSI522130	58, ²¹
	270	20	275	1.2	KSI529827	53, 61
	210	10	40	1.2	KSI522221	25, ⁹²
	240	10	50	1.3	KSI522224	28, ⁸³
	270	10	60	1.3	KSI522227	30, ⁹¹
	300	10	65	1.3	KSI522230	33,11
	270	20	40	1.2	KSI529927	30, ⁹¹
	210	8	235	1.3	KSI571721	43,02
	240	8	265	1.3	KSI571724	50, ³³
	270	8	300	1.4	KSI571727	55, ¹⁹
	300	8	325	1.4	KSI571730	59, ⁹⁴
В	210	8	45	1.3	KSI571821	27,19
8	240	8	55	1.3	KSI571824	30,24
8	270	8	65	1.4	KSI571827	32,59
8	300	8	75	1.4	KSI571830	34,88
	360	7	450	1.7	KSI635436	62 , ⁵⁶
	360	10	450	1.7	KSI635036	62, ⁵⁶
	360	13	405	1.2	KSI635236	62, ⁵⁶
	360	7	135	1.7	KSI635536	35, ²⁰
	360	10	135	1.7	KSI635136	35, ²⁰
	360	13	90	1.2	KSI635336	35, ²⁰
	360	6.5	440	1.7	KSI635636	70, ³⁷
	360	6.5	130	1.7	KSI635736	39,11

Example picture	Name saw	Blade (mm)	Teeth per 30 mm	Weight (g)	Kerf (mm)	Reference	Price (excl. VA
	KATANABOY 500-5	500	5	950	1.9	KSI540350	169, ⁰³
	KATANABOY 650-4	650	4	1250	2.4	KSI571065	256, ³⁹
	KATANABOY 1000-5-2.5	1000	5-2.5	2090	2.4	KSI571099	717, ³³
	BLADE KATANABOY 500-5	500	5	250	1.9	KSI540450	81, ¹³
	BLADE KATANABOY 650-4	650	4	435	2.4	KSI571165	160,24
	BLADE KATANABOY 1000-5-2.5	1000	5-2.5	895	2.4	KSI571199	385, ²⁴
	WOODBOY 240-26	240	26	215	0.7	KSI638624	68, ¹⁶
Easy vocency ze	WOODBOY 240-32	240	32	220	0.6	KSI638824	68,11
	WOODBOY 240-32 DOVETAIL	240	32	285	0.6	KSI638424	76,63
	BLADE WOODBOY 240-26	240	26	120	0.7	KSI638724	34,12
	BLADE WOODBOY 240-32	240	32	50	0.6	KSI638924	31,42
	BLADE WOODBOY 240-32 DOVETAIL	240	32	60	0.6	KSI638524	38, ³⁵
	POCKETBOY OUTBACK EDITION	170	10-8.5	248	1.3	KSI75017	38,14
O Carry Poccesory Jonnas	BLADE POCKETBOY OUTBACK EDITION	170	10-8.5	40	1.3	KSI75117	21, ⁹²
	THE SILKY OUTBACK IS ONLY AVAI						
Craky Cottaby domes	GOMBOY CURVE OUTBACK EDITION	240	8-6.8	288	1.3	KSI75224	55,47
	THE SILKY OUTBACK IS ONLY AVAI	240 LABLE AT (8-6.8	54 ED BUSHCR	1.3 AFT & OUTE	KSI75324	31, ⁸⁴
CO 2 CO 2 CO CO CONTRACTOR	BIGBOY OUTBACK EDITION	360	6.5-5.5	478	1.7	KSI75436	93, ⁷⁹
C 0 0 0 0 0	BLADE BIGBOY OUTBACK EDITION	360	6.5-5.5	130	1.7	KSI75536	41,06
	THE SILKY OUTBACK IS ONLY AVAI	LABLE AT (OUR SELECTE	ED BUSHCR	AFT & OUTE	DOOR PARTNER	S
	LONGBOY 3600-7.5 3-PARTS	360	7.5	2115	1.7	KSI636536	254, ⁰⁶
	BLADE LONGBOY 3600-7.5	360	7.5	155	1.7	KSI636636	47, ⁵²
	erererere and a second s						
	ZÜBAT 2700-7.5 2-PARTS	330	7.5	1375	1.4	KSI327212	127,60
	ZÜBAT 3300-7.5 2-PARTS	330	7.5	1545	1.4	KSI327215	140,22
Osky ZOGATSSO	ZÜBAT 3900-7.5 2-PARTS	330	7.5	1725	1.4	KSI327218	162, ²⁶
	BLADE ZÜBAT 330-7.5	330	7.5	120	1.4	KSI327133	42, ²⁹
	FORESTER 3000-7.5 3-PARTS	380	7.5	1790	1.7	KSI027330	201, ⁰¹
	FORESTER 4500-7.5 3-PARTS	380	7.5	2270	1.7	KSI027345	219,28
							213,



	HAYATE 3800-6.5 2-PARTS	420	6.5	2470	1.7	KSI037042	274,08
	HAYATE 5000-6.5 3-PARTS	420	6.5	3170	1.7	KSI037142	310,68
	HAYATE 6100-6.5 4-PARTS	420	6.5	3930	1.7	KSI037242	383,75
	HAYATE 7700-6.5 4-PARTS	420	6.5	4550	1.7	KSI037742	438, ⁵⁹
	BLADE HAYATE 420-6.5	420	6.5	220	1.7	KSI037342	87, ⁹¹
	SICKLE HAYATE	-	-	60	-	KSI037542	19,14

7.5 182

1.7

KSI027438

380

65,⁸¹

Example picture	Name saw	Blade (mm)	Teeth per 30 mm	Weight (g)	Kerf (mm)	Reference	Price (excl. VA1
	HAYAUCHI 3670-6.5 2-PARTS	390	6.5	2100	2.3	KSI017739N	190, ¹³
	HAYAUCHI 4900-6.5 3-PARTS	390	6.5	2650	2.3	KSI017839N	233,08
Bink / Harmandel 200 - 4	HAYAUCHI 6300-6.5 4-PARTS	390	6.5	3280	2.3	KSI017939N	294,41
(and a state of the state of t	HAYAUCHI 3000-6.5 3-PARTS	390	6.5	2015	2.3	KSI017639N	214, ⁶⁸
	BLADE HAYAUCHI 390-6.5	390	6.5	280	2.3	KZSI177399N	71,75
	HAYAUCHI 2-PARTS WITH 480 BLADE	480	6.5	2365	2.3	KSI073248	223,76
	HAYAUCHI 3-PARTS WITH 480 BLADE	480	6.5	2915	2.3	KSI073348	266, ⁷²
	HAYAUCHI 4-PARTS WITH 480 BLADE	480	6.5	3545	2.3	KSI073448	328,05
	BLADE HAYAUCHI 480-6.5	480	6.5	325	2.3	KZSI72448	81, ³⁴
	NATA 180 SINGLE EDGE	180		750	-	KSI755718	92, ⁷⁹
ESTAS BERN NATA 210	NATA 210 SINGLE EDGE	210	-	825	-	KSI755721	97, ²⁸
	NATA 240 SINGLE EDGE	240	-	870	-	KSI755724	100, ³⁷
•	NATA 150 DOUBLE EDGE	150	-	705	-	KSI755515	89, ⁷⁰
	NATA 180 DOUBLE EDGE	180	-	750	-	KSI755518	92, ⁷⁹
	NATA 210 DOUBLE EDGE	210	-	830	-	KSI755521	97, ²⁸
	NATA 240 DOUBLE EDGE	240	-	880	-	KSI755524	100, ³⁷
	BLADE NATA 150 SINGLE EDGE		-	390	-		52, ²²
	BLADE NATA 180 SINGLE EDGE	180	-	440	-	KSI755818	55, ³¹
	BLADE NATA 210 SINGLE EDGE	210	-	485	-	KSI755821	58, ⁴²
	BLADE NATA 240 SINGLE EDGE	240	-	520	-	KSI755824	61 , ⁴⁹
	BLADE NATA 150 DOUBLE EDGE	150	-	390	-	KSI755615	52, ²²
	BLADE NATA 180 DOUBLE EDGE	180	-	440	-	KSI755618	55, ³¹
	BLADE NATA 210 DOUBLE EDGE	210	-	480	-	KSI755621	58, ⁴²
	BLADE NATA 240 DOUBLE EDGE	240	-	520	-	KSI755624	61, ⁴⁹
	NATA OUTBACK EDITION	240	-	960	-	KSI775624	110,42
	BLADE 240 OUTBACK EDITION	240	-	600	-	KSI775724	64, ⁵⁷
	THE NATA OUTBACK WILL BE EXPE	CTED AT SE	LECTED BUS	HCRAFT & (OUTDOOR I	PARTNERS IN SPR	RING 2023
	ONO 120	120	-	925	-	KSI756810	97, ⁶⁵
	BLADE ONO 120	120	-	630	-	KSI756910	59, ³¹

Typing and printing errors reserved.

YOKI 270

BLADE YOKI 270

BLADE FORESTER 380-7.5

270	-	715	-	KSI757027	87,17
270	-	390	-	KSI757127	45, ³³





Edited with the trial version of Foxit Advanced PDF Editor To remove this notice, visit: www.foxitsoftware.com/shopping



www.silky-europe.com

support@silky-europe.com

Uvoznik i distributer Padina d.o.o. Sovići bb 88345 Sovići-Grude Bosna i Hercegovina www.padina.ba info@padina.ba

2023

@HIKING__ADVENTURE